Index of Authors

ABDEL-LATIF, A. A., AKHTAR, R. A. & HAWTHORNE, J. N. Acetylcholine increases the breakdown of triphosphoinositide of rabbit iris muscle prelabelled with [^{32}P]-phosphate 61–73

AGUTTER, P. S., HARRIS, J. R. & STEVENSON, I. Ribonucleic acid stimulation of mammalian liver nuclear-envelope nucleoside triphosphatase. A possible enzymic marker for the nuclear envelope 671–679

AIRHART, J. *see* VIDRICH, A. 257–266

AKHTAR, M. *see* PENNING, T. M. 157–170

AKHTAR, R. A. *see* ABDEL-LATIF, A. A. 61–73

ANTONIW, J. F., NIMMO, H. G., YEAMAN, S. J. & COHEN, P. Comparison of the substrate specificities of protein phosphatases involved in the regulation of glycogen metabolism in rabbit skeletal muscle 423–433

ANTONIW, J. F. *see also* COHEN, P. 435–444

AUDHYA, T. K. *see* GIBSON, K. D. 217–233

BADDILEY, J. *see* HECKELS, J. E. 359–365

BAGGIOLINI, M. *see* MURPHY, G. 195–197

BALASINGHAM, N. *see* SLACK, C. R. 289–296

BALLARD, F. J. *see* WARNES, D. M. 617–626, 627–634

BANIK, N. L. & SMITH, M. E. Protein determinants of myelination in different regions of developing rat central nervous system 247–255

BEAVIS, A. D. *see* MCGIVAN, J. D. 147–156

BEE, E. *see* BURT, V. T. 297–302

BERNARD, E. A. & WASSERMAN, G. F. Changes in protein kinase activity in rat testis during development 465–467

BONNER, W. D., JR. *see* RICH, P. R. 205–208

BOST, P. E. & DEMAIN, A. L. Studies on the cell-free biosynthesis of β-lactam antibiotics 681–687

BOULANGÉ, A. *see* PÉQUIGNOT-PLANCHE, É. 461–463

BRADFORD, N. M. *see* MCGIVAN, J. D. 147–156

BRETZ, U. *see* MURPHY, G. 195–197

BREUER, H. *see* RAO, G. S. 545–556

BRIGGS, S. *see* SMITH, S. B. 453–455

BRINDLEY, D. N. *see* SHORT, V. J. 445–450; STURTON, R. G. 25–32

BRO, B. *see* SCHOUSBOE, I. 303–307

BROCKLEHURST, R., GARDNER, D. & EDDY, A. A. The absorption of protons with α-methyl glucoside and α-thioethyl glucoside by the yeast N.C.Y.C. 240. Evidence against the phosphorylation hypothesis 591–599

BRONFMAN, M. *see* VAN DEN BERGHE, G. 601–609

BRUNO, M. K. *see* VIDRICH, A. 257–266

BRÜSEWITZ, G., CAMERON, B. D., CHASSEAUD, L. F., GÖRLER, K., HAWKINS, D. R., KOCH, H. & MENNICKE, W. H. The metabolism of benzyl isothiocyanate and its cysteine conjugate 99–107

BURT, V. T., BEE, E. & PENNOCK, J. F. The formation of menaquinone-4 (vitamin K) and its oxide in some marine invertebrates 297–302

CAIN, K. & GRIFFITHS, D. E. Studies of energy-linked reactions. Localization of the site of action of trialkyltin in yeast mitochondria 575–580

CAMERON, B. D. *see* BRÜSEWITZ, G. 99–107

CAPITO, K. & HEDESKOV, C. J. Effects of glucose, glucose metabolites and calcium ions on adenylate cyclase activity in homogenates of mouse pancreatic islets 569–573

CELANO, P., JUMAWAN, J., HOROWITZ, C., LAU, H. & KOLDOVSKY, O. Prenatal induction of sucrase activity in rat jejunum 469–472

CHANCE, B. *see* OSHINO, N. 509–525

CHASSEAUD, L. F. *see* BRÜSEWITZ, G. 99–107

CH'IH, J. J., PROCYK, R. & DEVLIN, T. M. Regulation of mammalian protein synthesis *in vivo*. Stimulated protein synthesis in liver *in vivo* after cycloheximide treatment 501–507

COHEN, P., NIMMO, G. A. & ANTONIW, J. F. Specificity of a protein phosphatase inhibitor from rabbit skeletal muscle 435–444

COHEN, P. *see also* ANTONIW, J. F. 423–433; YEAMAN, S. J. 411–421

COIA, A. A. *see* LEADER, D. P. 199–200

CONROY, P. D., SIMMS, D. M. & POINTON, J. J. Occurrence of ornithine decarboxylase and polyamines in cartilage 347–350

COOKE, B. A. *see* JANSZEN, F. H. A. 341–346

COX, G. B. *see* GIBSON, F. 665–670

DALESSANDRO, G. & NORTHCOTE, D. H. Changes in enzymic activities of nucleoside diphosphate sugar interconversions during differentiation of cambium to xylem in pine and fir 281–288

DALESSANDRO, G. & NORTHCOTE, D. H. Changes in enzymic activities of nucleoside diphosphate sugar interconversions during differentiation of cambium to xylem in sycamore and poplar 267–279

DAWSON, R. M. C. & HEMINGTON, N. A phosphodiesterase in rat kidney cortex that hydrolyses glycerylphosphorylinositol 241–245

DE BOER, W., DE VRIES, J., MULDER, E. & VAN DER MOLEN, H. J. Comparative study of nuclear binding sites for oestradiol in rat testicular and uterine tissue. Determination of low amounts of specific binding sites by an [^{3}H]oestradiol-exchange method 331–339

DE GASQUET, P. *see* PÉQUIGNOT-PLANCHE, É. 461–463

DEMAIN, A. L. *see* BOST, P. E. 681–687

DE MATTEIS, F. & GIBBS, A. H. Inhibition of haem synthesis caused by cobalt in rat liver. Evidence for two different sites of action 213–216

DEVLIN, T. M. *see* CH'IH, J. J. 501–507

DE VRIES, J. *see* DE BOER, W. 331–339

DILS, R. *see* SHORT, V. J. 445–450

DIXON, G. H. *see* YEAMAN, S. J. 411–421

DONALDSON, L. J. *see* TAKYI, E. E. K. 87–97

DOWNIE, J. A. *see* GIBSON, F. 665–670

DUFF, D. A. *see* SNELL, K. 399–403

EDDY, A. A. *see* BROCKLEHURST, R. 591–599

EDWARDS, S. W. & LLOYD, D. Mitochondrial adenosine triphosphatase of the fission yeast, *Schizosaccharomyces pombe* 972h$^-$. Changes in activity and oligomycin-sensitivity during the cell cycle of catabolite-repressed and -de-repressed cells 39–46

EDWARDS, S. W. *see also* LLOYD, D. 581–590
ELLORY, J. C. *see* YOUNG, J. D. 33–38
EVANS, M. C. W., SIHRA, C. K. & SLABAS, A. R. The oxidation–reduction potential of the reaction-centre chlorophyll (P700) in Photosystem 1. Evidence for multiple components in electron-paramagnetic-resonance signal 1 at low temperature 75–85

FERGUSON, S. J., HARRIS, D. A. & RADDA, G. K. The adenosine triphosphatase-inhibitor content of bovine heart submitochondrial particles. Influence of the inhibitor on adenosine triphosphate-dependent reactions 351–357
FERRE, P., PEGORIER, J.-P. & GIRARD, J. The effects of inhibition of gluconeogenesis in suckling newborn rats 209–212
FINEAN, J. B. *see* LOW, M. G. 235–240
FÓNAGY, A., ORD, M. G. & STOCKEN, L. A. Phosphorylation of rat thymus histones, its control and the effects thereon of γ-irradiation 171–181
FRAYN, K. N. *see* HEATH, D. F. 643–650, 653–657
FREEDLAND, R. A. *see* SMITH, S. B. 453–455
FUJIWARA, T. *see* HAYAKAWA, S. 387–397
FULLER, D. J. M. *see* TAKYI, E. E. K. 87–97

GARDNER, D. *see* BROCKLEHURST, R. 591–599
GAUTVIK, K. M., WALAAS, E. & WALAAS, O. Effect of thyroliberin on the concentration of adenosine 3′:5′-phosphate and on the activity of adenosine 3′:5′-phosphate-dependent protein kinase in prolactin-producing cells in culture 379–386
GEORGE, R. & RAMASARMA, T. Nature of the stimulation of biogenesis of cholesterol in the liver by noradrenaline 493–499
GIBBONS, G. F. & PULLINGER, C. R. Measurement of the absolute rates of cholesterol biosynthesis in isolated rat liver cells 321–330
GIBBS, A. H. *see* DE MATTEIS, F. 213–216
GIBSON, F., COX, G. B., DOWNIE, J. A. & RADIK, J. Partial diploids of *Escherichia coli* carrying normal and mutant alleles affecting oxidative phosphorylation 665–670
GIBSON, K. D., SEGEN, B. J. & AUDHYA, T. K. The effect of β-D-xylosides on chondroitin sulphate biosynthesis in embryonic-chicken cartilage in the absence of protein-synthesis inhibitors 217–233
GIDDENS, R. A. *see* HENDERSON, P. J. F. 309–320
GIRARD, J. *see* FERRE, P. 209–212
GOLDSPINK, D. F. & GOLDSPINK, G. Age-related changes in protein turnover and ribonucleic acid of the diaphragm muscle of normal and dystrophic hamsters 191–194
GOLDSPINK, G. *see* GOLDSPINK, D. F. 191–194
GOODMAN, M. N. *see* MAIZELS, E. Z. 557–568
GÖRLER, K. *see* BRÜSEWITZ, G. 99–107
GRANKVIST, K., LERNMARK, Å. & TÄLJEDAL, I.-B. Alloxan cytotoxicity *in vitro*. Microscope photometric analyses of Trypan Blue uptake by pancreatic islet cells in suspension 19–24
GRIFFITHS, D. E. *see* CAIN, K. 575–580

HADDOCK, B. A. *see* LAGARDE, A. E. 183–187
HARRIS, D. A. *see* FERGUSON, S. J. 351–357
HARRIS, J. R. *see* AGUTTER, P. S. 671–679
HAUETER, G. *see* RAO, G. S. 545–556
HAWKINS, D. R. *see* BRÜSEWITZ, G. 99–107
HAWTHORNE, J. N. *see* ABDEL-LATIF, A. A. 61–73
HAYAKAWA, S. & FUJIWARA, T. Microbiological degradation of bile acids. Further degradation of a cholic acid metabolite containing the hexahydroindane nucleus by *Corynebacterium equi* 387–397
HEATH, D. F., FRAYN, K. N. & ROSE, J. G. Glucose turnover in the post-absorptive rat and the effects of halothane anaesthesia 653–657
HEATH, D. F., FRAYN, K. N. & ROSE, J. G. Rates of glucose utilization and glucogenesis in rats in the basal state induced by halothane anaesthesia 643–650
HEATH, D. F. & ROSE, J. G. A comparison of a chromatographic and an ion-exchange method of determining the specific radioactivities of blood glucose labelled with ^{3}H and ^{14}C 650–651
HECKELS, J. E., LAMBERT, P. A. & BADDILEY, J. Binding of magnesium ions to cell walls of *Bacillus subtilis* W23 containing teichoic acid or teichuronic acid 359–365
HEDESKOV, C. J. *see* CAPITO, K. 569–573
HEMINGTON, N. *see* DAWSON, R. M. C. 241–245
HENDERSON, P. J. F., GIDDENS, R. A. & JONES-MORTIMER, M. C. Transport of galactose, glucose and their molecular analogues by *Escherichia coli* K12 309–320
HERS, H.-G. *see* VAN DEN BERGHE, G. 601–609, 611–616; VAN DE WERVE, G. 135–142, 143–146
HOROWITZ, C. *see* CELANO, P. 469–472
HUE, L. *see* VAN DE WERVE, G. 135–142
HUGHES, J. V. & JOHNSON, T. C. The effects of hyperphenylalaninaemia on the concentrations of aminoacyl-transfer ribonucleic acid *in vivo*. A mechanism for the inhibition of neural protein synthesis by phenylalanine 527–537

IDAHL, L.-Å., LERNMARK, Å., SEHLIN, J. & TÄLJEDAL, I.-B. Alloxan cytotoxicity *in vitro*. Inhibition of rubidium ion pumping in pancreatic β-cells 9–18

JANSZEN, F. H. A., COOKE, B. A. & VAN DER MOLEN, H. J. Specific protein synthesis in isolated rat testis Leydig cells. Influence of luteinizing hormone and cycloheximide 341–346
JOHNSON, T. C. *see* HUGHES, J. V. 527–537
JONES-MORTIMER, M. C. *see* HENDERSON, P. J. F. 309–320
JUMAWAN, J. *see* CELANO, P. 469–472

KHAIRALLAH, E. A. *see* VIDRICH, A. 275–266
KOCH, H. *see* BRÜSEWITZ, G. 99–107
KOLDOVSKY, O. *see* CELANO, P. 469–472
KOYAMA, H. *see* TOMIDA, M. 539–543
KRUPA, M. *see* SOMLO, M. 51–59

LAGARDE, A. E. & HADDOCK, B. A. Proton uptake linked to the 3-deoxy-2-oxo-D-gluconate-transport system of *Escherichia coli* 183–187
LAMBERT, P. A. *see* HECKELS, J. E. 359–365
LANE, M. D. *see* MACKALL, J. C. 635–642
LAU, D. *see* MAIZELS, E. Z. 557–568
LAU, H. *see* CELANO, P. 469–472
LEADER, D. P. & COIA, A. A. The phosphorylation of an acidic protein of the large ribosomal subunit of Krebs II ascites cells 199–200
LERNMARK, Å. *see* GRANKVIST, K. 19–24; IDAHL, L.-Å. 9–18

LLOYD, D. & EDWARDS, S. W. Mitochondrial adenosine triphosphatase of the fission yeast *Schizosaccharomyces pombe* 972h⁻. Changes in inhibitor sensitivities during the cell cycle indicate similarities and differences in binding sites 581–590
LLOYD, D. *see also* EDWARDS, S. W. 39–46
LOW, M. G. & FINEAN, J. B. Modification of erythrocyte membranes by a purified phosphatidylinositol-specific phospholipase C (*Staphylococcus aureus*) 235–240

MACKALL, J. C. & LANE, M. D. Changes in mammary-gland acetyl-coenzyme A carboxylase associated with lactogenic differentiation 635–642
MAIZELS, E. Z., RUDERMAN, N. B., GOODMAN, M. N. & LAU, D. Effect of acetoacetate on glucose metabolism in the soleus and extensor digitorum longus muscles of the rat 557–568
MAPES, J. P. Inhibition of lipogenesis by halothane in isolated rat liver cells 47–50
MCANULTY, P. A. & WILLIAMS, J. P. G. Polyamines and their biosynthetic decarboxylases in various tissues of the young rat during recovery from undernutrition 109–121
MCGIVAN, J. D., BRADFORD, N. M. & BEAVIS, A. D. Factors influencing the activity of ornithine aminotransferase in isolated rat liver mitochondria 147–156
MENNICKE, W. H. *see* BRÜSEWITZ, G. 99–107
MERRY, A. H. *see* PENNING, T. M. 157–170
MICKLEM, K. J. & PASTERNAK, C. A. Surface components involved in virally mediated membrane changes 405–410
MOORE, A. L. *see* RICH, P. R. 205–208
MULDER, E. *see* DE BOER, W. 331–339
MUNDAY, K. A. *see* PENNING, T. M. 157–170
MURPHY, G., REYNOLDS, J. J., BRETZ, U. & BAGGIOLINI, M. Collagenase is a component of the specific granules of human neutrophil leucocytes 195–197

NILSSON, Å. Effects of anti-microtubular agents and cycloheximide on the metabolism of chylomicron cholesteryl esters by hepatocyte suspensions 367–377
NIMMO, G. A. *see* COHEN, P. 435–444
NIMMO, H. G. *see* ANTONIW, J. F. 423–433
NIMMO, I. A. *see* STRANGE, R. C. 659–664
NORTHCOTE, D. H. *see* DALESSANDRO, G. 267–279, 281–288

ONO, T. *see* TOMIDA, M. 539–543
ORD, M. G. *see* FÓNAGY, A. 171–181
OSHINO, N. & CHANCE, B. Properties of glutathione release observed during reduction of organic hydroperoxide, demethylation of aminopyrine and oxidation of some substances in perfused rat liver, and their implications for the physiological function of catalase 509–525

PARKER, C. W. *see* SNIDER, D. E., JR. 473–482; WEDNER, H. J. 483–491
PASTERNAK, C. A. *see* MICKLEM, K. J. 405–410
PEGORIER, J.-P. *see* FERRE, P. 209–212
PENNING, T. M., MERRY, A. H., MUNDAY, K. A. & AKHTAR, M. Studies on the biosynthesis, assembly and secretion of vitellogenin, an oestrogen-induced multicomponent protein 157–170
PENNOCK, J. F. *see* BURT, V. T. 297–302
PÉQUIGNOT-PLANCHE, É., DE GASQUET, P., BOULANGÉ, A. & TONNU, N. T. Lipoprotein lipase activity at onset of development of white adipose tissue in newborn rats 461–463
PERCY-ROBB, I. W. *see* STRANGE, R. C. 659–664
POINTON, J. J. *see* CONROY, P. D. 347–350
POLGAR, P. & TAYLOR, L. Effects of prostaglandin on substrate uptake and cell division in human diploid fibroblasts 1–8
PROCYK, R. *see* CH'IH, J. J. 501–507
PULLINGER, C. R. *see* GIBBONS, G. F. 321–330

RADDA, G. K. *see* FERGUSON, S. J. 351–357
RADIK, J. *see* GIBSON, F. 665–670
RAMASARMA, T. *see* GEORGE, R. 493–499
RAO, G. S., HAUETER, G., RAO, M. L. & BREUER, H. Steroid glucuronyltransferases of rat liver. Properties of oestrone and testosterone glucuronyltransferases and the effect of ovariectomy, castration and administration of steroids on the enzymes 545–556
RAO, M. L. *see* RAO, G. S. 545–556
REID, R. A. *see* SOMLO, M. 51–59
REYNOLDS, J. J. *see* MURPHY, G. 195–197
RICH, P. R., MOORE, A. L. & BONNER, W. D., JR. The effects of bathophenanthroline, bathophenanthroline-sulphonate and 2-thenoyltrifluoroacetone on mung-bean mitochondria and submitochondrial particles 205–208
ROSE, J. G. *see* HEATH, D. F. 643–650, 650–651, 653–657
ROUGHAN, P. G. & SLACK, C. R. Long-chain acyl-coenzyme A synthetase activity of spinach chloroplasts is concentrated in the envelope 457–459
ROUGHAN, P. G. *see also* SLACK, C. R. 289–296
RUDERMAN, N. B. *see* MAIZELS, E. Z. 557–568

SCHOUSBOE, A. *see* SCHOUSBOE, I. 303–307
SCHOUSBOE, I., BRO, B. & SCHOUSBOE, A. Intramitochondrial localization of the 4-aminobutyrate–2-oxoglutarate transaminase from ox brain 303–307
SEAMARK, R. F. *see* WARNES, D. M. 617–626, 627–634
SEGEN, B. J. *see* GIBSON, K. D. 217–233
SEHLIN, J. *see* IDAHL, L.-Å. 9–18
SHORT, V. J., BRINDLEY, D. N. & DILS, R. Co-ordinate changes in enzymes of fatty acid synthesis, activation and esterification in rabbit mammary gland during pregnancy and lactation 445–450
SIHRA, C. K. *see* EVANS, M. C. W. 75–85
SIMMS, D. M. *see* CONROY, P. D. 347–350
SLABAS, A. R. *see* EVANS, M. C. W. 75–85
SLACK, C. R., ROUGHAN, P. G. & BALASINGHAM, N. Labelling studies *in vivo* on the metabolism of the acyl and glycerol moieties of the glycerolipids in the developing maize leaf 289–296
SLACK, C. R. *see also* ROUGHAN, P. G. 457–459
SMITH, M. E. *see* BANIK, N. L. 247–255
SMITH, S. B., BRIGGS, S., TRIEBWASSER, K. C. & FREEDLAND, R. A. Re-evaluation of amino-oxyacetate as an inhibitor 453–455
SNELL, K. & DUFF, D. A. The release of alanine by rat diaphragm muscle *in vitro* 399–403
SNIDER, D. E., JR. & PARKER, C. W. Adenylate cyclase activity in lymphocyte subcellular fractions. Characterization of non-nuclear adenylate cyclase 473–482

SOMLO, M., REID, R. A. & KRUPA, M. An oligomycin-resistant adenosine triphosphatase and its effects on cellular growth, mitochondrial oxidative phosphorylation and respiratory proton translocation in *Saccharomyces cerevisiae* 51–59
STALMANS, W. *see* VAN DE WERVE, G. 143–146
STEVENSON, I. *see* AGUTTER, P. S. 671–679
STOCKEN, L. A. *see* FÓNAGY, A. 171–181
STRANGE, R. C., NIMMO, I. A. & PERCY-ROBB, I. W. Binding of bile acids by 100000*g* supernatants from rat liver 659–664
STURTON, R. G. & BRINDLEY, D. N. Factors controlling the activities of phosphatidate phosphohydrolase and phosphatidate cytidylyltransferase. The effects of chlorpromazine, demethylimipramine, cinchocaine, norfenfluramine, mepyramine and magnesium ions 25–32

TAKYI, E. E. K., FULLER, D. J. M., DONALDSON, L. J. & THOMAS, G. H. Deoxyribonucleic acid and polyamine synthesis in rat ventral prostate. Effects of age of the intact rat and androgen stimulation of the castrated rat with testosterone, 5α-dihydrotestosterone and 5α-androstane-3β,17β-diol 87–97
TÄLJEDAL, I.-B. *see* GRANKVIST, K. 19–24; IDAHL, L.-Å. 9–18
TAYLOR, L. *see* POLGAR, P. 1–8
TENG, C. S. *see* TENG, C. T. 123–134
TENG, C. T. & TENG, C. S. Studies on sex-organ development. The hormonal regulation of steroidogenesis and adenosine 3′:5′-cyclic monophosphate in embryonic-chick ovary 123–134
THOMAS, G. H. *see* TAKYI, E. E. K. 87–97
TOMIDA, M., KOYAMA, H. & ONO, T. Effects of adenosine 3′:5′-cyclic monophosphate and serum on synthesis of hyaluronic acid in confluent rat fibroblasts 539–543
TONNU, N. T. *see* PÉQUIGNOT-PLANCHE, É. 461–463
TRIEBWASSER, K. C. *see* SMITH, S. B. 453–455

VAN DEN BERGHE, G., BRONFMAN, M., VANNESTE, R. & HERS, H.-G. The mechanism of adenosine triphosphate depletion in the liver after a load of fructose. A kinetic study of liver adenylate deaminase 601–609
VAN DEN BERGHE, G., VAN POTTELSBERGHE, C. & HERS, H.-G. A kinetic study of the soluble 5′-nucleotidase of rat liver 611–616
VAN DER MOLEN, H. J. *see* DE BOER, W. 331–933; JANSZEN, F. H. A. 341–346
VAN DE WERVE, G., HUE, L. & HERS, H.-G. Hormonal and ionic control of the glycogenolytic cascade in rat liver 135–142
VAN DE WERVE, G., STALMANS, W. & HERS, H.-G. The effect of insulin on the glycogenolytic cascade and on the activity of glycogen synthase in the liver of anaesthetized rabbits 143–146
VANNESTE, R. *see* VAN DEN BERGHE, G. 601–609
VAN POTTELSBERGHE, C. *see* VAN DEN BERGHE, G. 611–616
VIDRICH, A., AIRHART, J., BRUNO, M. K. & KHAIRALLAH, E. A. Compartmentation of free amino acids for protein biosynthesis. Influence of diurnal changes in hepatic amino acid concentrations on the composition of the precursor pool charging aminoacyl-transfer ribonucleic acid 257–266

WALAAS, E. *see* GAUTVIK, K. M. 379–386
WALAAS, O. *see* GAUTVIK, K. M. 379–386
WARBURTON, M. J. & WYNN, C. H. The turnover of hamster fibroblast lysosomal β-D-glucuronidase 201–203
WARNES, D. M., SEAMARK, R. F. & BALLARD, F. J. Metabolism of glucose, fructose and lactate *in vivo* in chronically cannulated foetuses and in suckling lambs 617–626
WARNES, D. M., SEAMARK, R. F. & BALLARD, F. J. The appearance of gluconeogenesis at birth in sheep. Activation of the pathway associated with blood oxygenation 627–634
WASSERMAN, G. F. *see* BERNARD, E. A. 465–467
WATSON, D. C. *see* YEAMAN, S. J. 411–421
WEDNER, H. J. & PARKER, C. W. Adenylate cyclase activity in lymphocyte subcellular fractions. Characterization of a nuclear adenylate cyclase 483–491
WILLIAMS, J. P. G. *see* MCANULTY, P. A. 109–121
WYNN, C. H. *see* WARBURTON, M. J. 201–203

YEAMAN, S. J. COHEN, P., WATSON, D. C. & DIXON, G. H. The substrate specificity of adenosine 3′:5′-cyclic monophosphate-dependent protein kinase of rabbit skeletal muscle 411–421
YEAMAN, S. J. *see also* ANTONIW, J. F. 423–433
YOUNG, J. D. & ELLORY, J. C. Substrate specificity of amino acid transport in sheep erythrocytes 33–38

Index of Subjects

Abies grandis, *see* Fir
Acer pseudoplatanus, *see* Sycamore
Acetoacetate, effects of, on the metabolism of glucose in rat skeletal muscle (Maizels, E. Z., Ruderman, N. B., Goodman, M. N. & Lau, D.) 557–558
Acetylcholine, stimulation by, of the breakdown of triphosphoinositide in rabbit iris smooth muscle (Abdel-Latif, A. A., Akhtar, R. A. & Hawthorne, J. N.) 61–73
Acetyl-coenzyme A carboxylase, changes in the activity of, in rat mammary gland associated with the onset of lactation (Mackall, J. C. & Lane, M. D.) 635–642
Adenine nucleotides, kinetic properties of cytosol 5′-nucleotidase and their relationship to the conversion of, into urate in rat liver with particular reference to stimulation of the process by the administration of fructose (Van den Berghe, G., van Pottelsberghe, C. & Hers, H.-G.) 611–616
Adenosine 3′:5′-cyclic monophosphate, effects of calf serum and, on the biosynthesis of hyaluronate in confluent cultures of rat fibroblasts (Tomida, M., Koyama, H. & Ono, T.) 539–543
Adenosine 3′:5′-cyclic monophosphate, effects of thyroliberin on the concentration of, and the activity of adenosine 3′:5′-cyclic monophosphate-dependent protein kinase in cultured rat prolactin-producing pituitary-gland tumour cells (Gautvik, K. M., Walaas, E. & Walaas, O.) 379–386
Adenosine 3′:5′-cyclic monophosphate, hormonal regulation of the production of steroids and, in chick-embryo ovary (Teng, C. T. & Teng, C. S.) 123–134
Adenosine triphosphatase inhibitor, concentrations of, in ox heart submitochondrial particles and its influence on adenosine triphosphate-dependent reactions (Ferguson, S. J., Harris, D. A. & Radda, G. K.) 351–357
Adenosine triphosphatase, magnesium ion-dependent, stimulation by ribonucleic acid of the activity of, of rat and pig liver nuclear envelopes (Agutter, P. S., Harris, J. R. & Stevenson, I.) 671–679
Adenosine triphosphatase, magnesium ion-stimulated, partial diploids of *Escherichia coli* carrying normal and mutant alleles affecting, and oxidative phosphorylation (Gibson, F., Cox, G. B., Downie, J. A. & Radik, J.) 665–670
Adenosine triphosphatase, mitochondrial, *Schizosaccharomyces pombe* 972h⁻, changes in the activity and oligomycin-sensitivity of, during the cell cycle of catabolite-repressed and -depressed cells (Edwards, S. W. & Lloyd, D.) 39–46
Adenosine triphosphatase, oligomycin-resistant, mitochondrial, *Saccharomyces cerevisiae*, effects of mutational alteration of, on cell growth, mitochondrial oxidative phosphorylation and respiratory translocation of protons (Somlo, M., Reid, R. A. & Krupa, M.) 51–59
Adenosine triphosphatase, oligomycin-sensitive, identification of, as the site of action of trialkyltin in yeast mitochondria (Cain, K. & Griffiths, D. E.) 575–580
Adenosine triphosphatase, oligomycin-sensitive, mitochondrial, *Schizosaccharomyces pombe* 972h⁻, changes in the inhibitor sensitivities of, during the cell cycle (Lloyd, D. & Edwards, S. W.) 581–590
Adenosine triphosphate, concentrations of adenosine triphosphatase inhibitor in ox heart submitochondrial particles and its influence on reactions dependent on (Ferguson, S. J., Harris, D. A. & Radda, G.K.) 351–357
Adenosine triphosphate, kinetic properties of adenylate deaminase and their relationship to the depletion of, in mouse liver after the administration of fructose (Van den Berghe, G., Bronfman, M., Vanneste, R. & Hers, H.-G.) 601–609
Adenylate cyclase, activity and characterization of, in human lymphocyte nuclei (Wedner, H. J. & Parker, C. W.) 483–491
Adenylate cyclase, effects of glucose and its metabolites and of calcium ions on the activity of, in homogenates of mouse islets of Langerhans (Capito, K. & Hedeskov, C. J.) 569–573
Adenylate cyclases, activity and characterization of, in non-nuclear subcellular fractions of human lymphocytes (Snider, D. E., Jr. & Parker, C. W.) 473–482
Adenylate deaminase, kinetic properties of, and their relationship to the depletion of adenosine triphosphate in mouse liver after the administration of fructose (Van den Berghe, G., Bronfman, M., Vanneste, R. & Hers, H.-G.) 601–609
Adipose tissue, white, rat, activity of clearing-factor lipase in, at the onset of postnatal development (Péquignot-Planche, É., de Gasquet, P., Boulangé, A. & Tonnu, N. T.) 461–463
Age, effects of, on the biosynthesis of deoxyribonucleic acid and polyamines in rat ventral prostate gland (Takyi, E. E. K., Fuller, D. J. M., Donaldson, L. J. & Thomas, G. H.) 87–97
Alanine, release of, by rat diaphragm muscle *in vitro* (Snell, K. & Duff, D. A.) 399–403
Alanine, substrate specificity of the transport of, and other amino acids in sheep erythrocytes (Young, J. D. & Ellory, J. C.) 33–38
Alloxan, effects of, on the uptake of Trypan Blue by isolated mouse islets of Langerhans (Grankvist, K., Lernmark, Å. & Täljedal, I.-B.) 19–24
Alloxan, inhibition by, of the uptake of rubidium ions by isolated mouse islets of Langerhans (Idahl, L.-Å., Lernmark, Å., Sehlin, J. & Täljedal, I.-B.) 9–18
Amino acid sequences, determination of, at the sites of glycogen phosphorylase kinase that are phosphorylated by rabbit skeletal-muscle adenosine 3′-5′-cyclic monophosphate-dependent protein kinase (Yeaman, S. J., Cohen, P., Watson, D. C. & Dixon, G. H.) 411–421
Amino acids, free, liver, rat, influence of diurnal changes in the concentrations of, on the composition of the precursor pool charging transfer ribonucleic acid (Vidrich, A., Airhart, J., Bruno, M. K. & Khairallah, E. A.) 257–266
Amino acids, substrate specificity of the transport of, in sheep erythrocytes (Young, J. D. & Ellory, J. C.) 33–38
Amino-oxyacetate, re-evaluation of, as an inhibitor of gluconeogenesis and the biosynthesis of urea by isolated rat hepatocytes (Smith, S. B., Briggs, S., Triebewasser, K. C. & Freedland, R. A.) 453–455

Aminoacyl-transfer ribonucleic acids, effects of hyperphenylalaninaemia on the concentrations of, and the biosynthesis of protein in mouse brain *in vivo* (Hughes, J. V. & Johnson, T. C.) 527–537
4-Aminobutyrate aminotransferase, brain, ox, intramitochondrial localization of (Schousboe, I., Bro, B. & Schousboe, A.) 303–307
Aminopyrine, properties of the release of oxidized glutathione observed during reduction of organic hydroperoxides, oxidation of some substances and demethylation of, in perfused rat liver and their implications for the physiological function of catalase (Oshino, N. & Chance, B.) 509–525
Androgens, effects of the administration of, on the biosynthesis of deoxyribonucleic acid and polyamines in the ventral prostate gland of the castrated rat (Takyi, E. E. K., Fuller, D. J. M., Donaldson, L. J. & Thomas, G. H.) 87–97
Ascites cells, Krebs II, phosphorylation of an acidic ribosomal protein of the large ribosomal subunit of (Leader, D. P. & Coia, A. A.) 199–200
Asterias rubens, *see* Starfish

Bacillus subtilis W23, binding of magnesium ions to cell walls of, containing teichoic acid or teichuronic acid (Heckels, J. E., Lambert, P. A. & Baddiley, J.) 359–365
Bean, mung (*Phaseolus aureus*), effects of bathophenanthroline, bathophenanthrolinesulphonate and 2-thenoyltrifluoroacetone on mitochondria and submitochondrial particles from (Rich, P. R., Moore, A. L. & Bonner, W. D., Jr.) 205–208
Benzyl isothiocyanate, metabolism of, and its cysteine conjugate in the rat and the dog (Brüsewitz, G., Cameron, B. D., Chasseaud, L. F., Görler, K., Hawkins, D. R., Koch, H. & Mennicke, W. H.) 99–107
Bile acids, further degradation by *Corynebacterium equi* of a metabolite of, containing the hexahydroindane nucleus (Hayakawa, S. & Fujiwara, T.) 387–397
Birth, activation of the enzymes involved in gluconeogenesis in sheep liver at, and association of the process with oxygenation of the blood (Warnes, D. M., Seamark, R. F. & Ballard, F. J.) 627–634
Blood, comparison of a chromatographic method and an ion-exchange method for the determination of the specific radioactivities of ^{3}H- and ^{14}C-labelled glucose in (Heath, D. F. & Rose, J. G.) 650–651
Blood, rat, newborn, suckling, effects of inhibition of gluconeogenesis on the concentrations of glucose and other metabolites in, and liver (Ferre, P., Pegorier, J.-P. & Girard, J.) 209–212
Blood, sheep, activation of the enzymes involved in gluconeogenesis in liver at birth and association of the process with oxygenation of (Warnes, D. M., Seamark, R. F. & Ballard, F. J.) 627–634
Brain, mouse, effects of hyperphenylalaninaemia on the concentrations of aminoacyl-transfer ribonucleic acids and the biosynthesis of protein in, *in vivo* (Hughes, J. V. & Johnson, T. C.) 527–537
Brain, ox, intramitochondrial localization of 4-aminobutyrate aminotransferase in (Schousboe, I., Bro, B. & Schousboe, A.) 303–307
Brain, rat, developing, changes in the concentrations of protein determinants of myelination in different regions of, and spinal cord (Banik, N. L. & Smith, M. E.) 247–255
2-Bromo-2-chloro-1,1,1-trifluoroethane (halothane), inhibition by, of lipogenesis in isolated rat liver cells (Mapes, J. P.) 47–50

Calcium ions, effects of glucose and its metabolites and of, on the activity of adenylate cyclase in homogenates of mouse islets of Langerhans (Capito, K. & Hedeskov, C. J.) 569–573
Calcium ions, involvement of, in changes in the membrane of Lettree cells mediated by Sendai virus (Micklem, K. J. & Pasternak, C. A.) 405–410
Calcium ions, regulation by hormones and, and other ions on the activities of enzymes involved in glycogenolysis in isolated rat liver cells (van de Werve, G., Hue, L. & Hers, H.-G.) 135–142
Cambium, changes in the activities of enzymes catalysing interconversions of nucleoside diphosphate sugars during differentiation of, to xylem in pine and fir (Dalessandro, G. & Northcote, D. H.) 281–288
Cambium, changes in the activities of enzymes catalysing interconversions of nucleoside diphosphate sugars during differentiation of, to xylem in sycamore and poplar (Dalessandro, G. & Northcote, D. H.) 267–279
Carcinus maenas, *see* Crab
Cartilage, chick-embryo, effect of β-D-xylosides on the biosynthesis of chondroitin sulphate in, in the absence of inhibitors of the biosynthesis of protein (Gibson, K. D., Segen, B. J. & Audhya, T. K.) 217–233
Cartilage, chick-embryo, rabbit, rat and human, activity of ornithine decarboxylase and concentrations of polyamines in (Conroy, P. D., Simms, D. M. & Pointon, J. J.) 347–350
Castration, effects of the administration of steroids, ovariectomy and, on the activities of testosterone glucuronyltransferase and oestrone glucuronyltransferase in rat liver (Rao, G. S., Haueter, G., Rao, M. L. & Breuer, H.) 545–556
Catabolite repression, changes in the activity and oligomycin-sensitivity of mitochondrial adenosine triphosphatase during the cell cycle of *Schizosaccharomyces pombe* 972h^{-} cells after, and de-repression (Edwards, S. W. & Lloyd, D.) 39–46
Catalase, properties of the release of oxidized glutathione observed during reduction of organic hydroperoxides, demethylation of aminopyrine and oxidation of some substances in perfused rat liver and their implications for the physiological function of (Oshino, N. & Chance, B.) 509–525
Cell cycle, changes in the activity and oligomycin-sensitivity of mitochondrial adenosine triphosphatase during, of catabolite-repressed and -de-repressed cells of *Schizosaccharomyces pombe* 972h^{-} (Edwards, S. W. & Lloyd, D.) 39–46
Cell division, effects of prostaglandins on the uptake of substrates and on, in human diploid W138 fibroblasts (Polgar, P. & Taylor, L.) 1–8
Cell growth, effects of mutational alteration of mitochondrial oligomycin-resistant adenosine triphosphatase on mitochondrial oxidative phosphorylation, respiratory translocation of protons and, in *Saccharomyces cerevisiae* (Somlo, M., Reid, R. A. & Krupa, M.) 51–59

Cell wall, changes in the activities of enzymes catalysing interconversions of nucleoside diphosphate sugars involved in the biosynthesis of polysaccharides of, during differentiation of cambium to xylem in pine and fir (Dalessandro, G. & Northcote, D. H.) 281–288
Cell wall, changes in the activities of enzymes catalysing interconversions of nucleoside diphosphate sugars involved in the biosynthesis of polysaccharides of, during differentiation of cambium to xylem in sycamore and poplar (Dalessandro, G. & Northcote, D. H.) 267–279
Cell walls, *Bacillus subtilis* W23, binding of magnesium ions to, containing teichoic acid or teichuronic acid (Heckels, J. E., Lambert, P. A. & Baddiley, J.) 359–365
Cells, ascites, Krebs II, phosphorylation of an acidic ribosomal protein of the large ribosomal subunit of (Leader, D. P. & Coia, A. A.) 199–200
Cells, Lettree, surface components involved in changes in the membrane of, mediated by Sendai virus (Micklem, K. J. & Pasternak, C. A.) 405–410
Cells, tumour, pituitary-gland, prolactin-producing, rat, cultured, effects of thyroliberin on the concentration of adenosine 3′:5′-cyclic monophosphate and the activity of adenosine 3′:5′-cyclic monophosphate-dependent protein kinase in (Gautvik, K. M., Walaas, E. & Walaas, O.) 379–386
Central nervous system, *see* Nervous system, central
Cephalosporins, biosynthesis of penicillins and, by cell-free preparations from *Cephalosporium acremonium* (Bost, P. E. & Demain, A. L.) 681–687
Cephalosporium acremonium, biosynthesis of β-lactam antibiotics by cell-free preparations from (Bost, P. E. & Demain, A. L.) 681–687
Chenodeoxycholic acid, binding of, and other bile acids by rat liver cytosol preparations (Strange, R. C., Nimmo, I. A. & Percy-Robb, I. W.) 659–664
Chick embryo, activity of ornithine decarboxylase and concentrations of polyamines in cartilage from, and other sources (Conroy, P. D., Simms, D. M. & Pointon, J. J.) 347–350
Chick embryo, effect of β-D-xylosides on the biosynthesis of chondroitin sulphate in cartilage from, in the absence of inhibitors of the biosynthesis of protein (Gibson, K. D., Segen, B. J. & Audhya, T. K.) 217–233
Chick embryo, hormonal regulation of the production of steroids and adenosine 3′:5′-cyclic monophosphate in ovary from (Teng, C. T. & Teng, C. S.) 123–134
Chlorophyll, reaction-centre (pigment P700), evidence for multiple components in electron-paramagnetic-resonance signal 1 obtained at low temperature during measurement of the oxidation–reduction potential of, in Photosystem 1 of spinach chloroplasts (Evans, M. C. W., Sihra, C. K. & Slabas, A. R.) 75–85
Chloroplasts, spinach, evidence for multiple components in electron-paramagnetic-resonance signal 1 obtained at low temperature during measurement of the oxidation–reduction potential of the reaction-centre chlorophyll (pigment P700) in Photosystem 1 of (Evans, M. C. W., Sinhra, C. K. & Slabas, A. R.) 75–85
Chloroplasts, spinach-leaf, evidence that the activity of long-chain fatty acyl-coenzyme A synthetase of, is concentrated in the envelope (Roughan, P. G. & Slack, C. R.) 457–459
Cholesterol, measurement of absolute rates of the biosynthesis of, in isolated rat liver cells (Gibbons, G. F. & Pullinger, C. R.) 321–330
Cholesterol, nature of the stimulation by noradrenaline of the biosynthesis of, in rat liver (George, R. & Ramasarma, T.) 493–499
Cholesteryl esters, chylomicron, effects of anti-microtubular agents and cycloheximide on the metabolism of, by isolated rat hepatocytes (Nilsson, Å.) 367–377
Cholic acid, binding of, and other bile acids by rat liver cytosol preparations (Strange, R. C., Nimmo, I. A. & Percy-Robb, I. W.) 659–664
Cholic acid, further degradation by *Corynebacterium equi* of a metabolite of, containing the hexahydroindane nucleus (Hayakawa, S. & Fujiwara, T.) 387–397
Chondroitin sulphate, effect of β-D-xylosides on the biosynthesis of, in chick-embryo cartilage in the absence of inhibitors of the biosynthesis of protein (Gibson, K. D., Segan, B. J. & Audhya, T. K.) 217–233
Choriogonadotropin, human, stimulation by, of the production of steroids and adenosine 3′:5′-cyclic monophosphate in chick-embryo ovary (Teng, C. T. & Teng, C. S.) 123–134
Chylomicrons, effects of anti-microtubular agents and cycloheximide on the metabolism of cholesteryl esters of, by isolated rat hepatocytes (Nilsson, Å.) 367–377
Clearing-factor lipase, *see* Lipase, clearing-factor
Cobalt ions, evidence for two different sites of action during the inhibition by, of the biosynthesis of haem in rat liver (De Matteis, F. & Gibbs, A. H.) 213–216
Colchicine, effects of cycloheximide, vinblastine and, on the metabolism of chylomicron cholesteryl esters by isolated rat hepatocytes (Nilsson, Å.) 367–377
Collagenase, localization of, as a component of the specific granules of human neutrophil leucocytes (Murphy, G., Reynolds, J. J., Bretz, U. & Baggiolini, M.) 195–197
Cortisone, induction of the activity of sucrase in foetal rat jejunum by administration of 3,3′,5-tri-iodothyronine or, to the mother (Celano, P., Jumawan, J., Horowitz, C., Lau, H. & Koldovsky, O.) 469–472
Corynebacterium equi, further degradation by, of a cholic acid metabolite containing the hexahydroindane nucleus (Hayakawa, S. & Fujiwara, T.) 387–397
Crab (*Carcinus maenas*), biosynthesis of menaquinone-4 and 2,3-epoxymenaquinone-4 from menadione in, and other marine invertebrates (Burt, V. T., Bee, E. & Pennock, J. F.) 297–302
Cyclic adenosine 3′:5′-monophosphate, *see* Adenosine 3′:5′-cyclic monophosphate
Cycloheximide, effects of anti-microtubular agents and, on the metabolism of chylomicron cholesteryl esters by isolated rat hepatocytes (Nilsson, Å). 367–377
Cycloheximide, inhibition and subsequent stimulation of the biosynthesis of plasma proteins in rat liver *in vivo* after the administration of (Ch'ih, J. J., Procyk, R. & Devlin, T. M.) 501–507
Cysteine, metabolism of benzyl isothiocyanate and its conjugate with, in the rat and the dog (Brüsewitz, G., Cameron, B. D., Chasseaud, L. F., Görler, K., Hawkins, D. R., Koch, H. & Mennicke, W. H.) 99–107
Cytosol preparations, liver, rat, binding of bile acids by (Strange, R. C., Nimmo, I. A. & Percy-Robb, I. W.) 659–664

2-Deoxy-D-glucose, effects of prostaglandins on the uptake of, and other substrates and on cell division in human diploid W138 fibroblasts (Polgar, P. & Taylor, L.) 1–8
3-Deoxy-2-oxo-D-gluconate, uptake of protons linked to the transport system for, of *Escherichia coli* K12 (Lagarde, A. E. & Haddock, B. A.) 183–187
Deoxyribonucleic acid, effects of age in the intact animal and of administration of androgens to the castrated animal on the biosynthesis of polyamines and, in rat ventral prostate gland (Takyi, E. E. K., Fuller, D. J. M., Donaldson, L. J. & Thomas, G. H.) 87–97
Development, metabolism of the acyl and glycerol moieties of glycerolipids in maize leaves during (Slack, C. R., Roughan, P. G. & Balasingham, N.) 289–296
Development, neonatal and postnatal, changes in the activities of protein kinases in rat testis during (Bernard, E. A. & Wasserman, G. F.) 465–467
Development, perinatal, activation of the enzymes involved in gluconeogenesis in sheep liver during, and association of the process with oxygenation of the blood (Warnes, D. M., Seamark, R. F. & Ballard, F. J.) 627–634
Development, postnatal, activity of clearing-factor lipase in rat white adipose tissue at the onset of (Péquignot-Planche, É., de Gasquet, P., Boulangé, A. & Tonnu, N. T.) 461–463
Development, postnatal, changes in the concentrations of protein determinants of myelination in different regions of rat central nervous system during (Banik, N. L. & Smith, M. E.) 247–255
Diaphragm, hamster, age-related changes in the turnover of protein and the concentration of ribonucleic acid in, of normal and dystrophic animals (Goldspink, D. F. & Goldspink, G.) 191–194
Diaphragm muscle, rat, release of alanine by, *in vitro* (Snell, K. & Duff, D. A.) 399–403
NN'-Dicyclohexylcarbodi-imide, changes in the sensitivities of mitochondrial oligomycin-sensitive adenosine triphosphatase towards, and other inhibitors during the cell cycle of *Schizosaccharomyces pombe* 972h⁻ (Lloyd, D. & Edwards, S. W.) 581–590
Drugs, cationic, amphiphilic, effects of magnesium ions and, on the activities of phosphatidate phosphohydrolase and phosphatidate cytidylyltransferase in rat liver microsomal membrane fraction (Sturton, R. G. & Brindley, D. N.) 25–32

Egg-yolk protein (vitellogenin), biosynthesis, assembly and secretion of, by *Xenopus laevis* liver (Penning, T. M., Merry, A. H., Munday, K. A. & Akhtar, M.) 157–170
2,3-Epoxymenaquinone-4, biosynthesis of menaquinone-4 and, from menadione in some marine invertebrates (Burt, V. T., Bee, E. & Pennock, J. F.) 297–302
Erythrocytes, sheep, ox and pig, modification of the membranes of, by purified *Staphylococcus aureus* phosphatidylinositol-specific phospholipase C (Low, M. G. & Finean, J. B.) 235–240
Erythrocytes, sheep, substrate specificity of the transport of amino acids in (Young, J. D. & Ellory, J. C.) 33–38
Escherichia coli K12, transport of galactose, glucose and their molecular analogues by (Henderson, P. J. F., Giddens, R. A. & Jones-Mortimer, M. C.) 309–320
Escherichia coli K12, uptake of protons linked to the transport system for 3-deoxy-2-oxo-D-gluconate of (Lagarde, A. E. & Haddock, B. A.) 183–187
Escherichia coli, partial diploids of, carrying normal and mutant alleles affecting oxidative phosphorylation (Gibson, F., Cox, G. B., Downie, J. A. & Radik, J.) 665–670
Estradiol, *see* Oestradiol
Estrone, *see* Oestrone

Fatty acids, changes in the activity of acetyl-coenzyme A carboxylase and their relevance to the biosynthesis of, in rat mammary gland during the onset of lactation (Mackall, J. C. & Lane, M. D.) 635–642
Fatty acids, co-ordinate changes in the activities of enzymes involved in the biosynthesis, activation and esterification of, in rabbit mammary gland during pregnancy and lactation (Short, V. J., Brindley, D. N. & Dils, R.) 445–450
Fatty acyl (long-chain)-coenzyme A synthetase, chloroplast, spinach-leaf, evidence that the activity of, is concentrated in the envelope (Roughan, P. G. & Slack, C. R.) 457–459
Fibrinogen, inhibition and subsequent stimulation of the biosynthesis of, and other plasma proteins in rat liver *in vivo* after the administration of cycloheximide (Ch'ih, J. J., Procyk, R. & Devlin, T. M.) 501–507
Fibroblasts, CH-23, hamster, turnover of lysosomal β-D-glucuronidase in (Warburton, M. J. & Wynn, C. H.) 201–203
Fibroblasts, rat, effects of adenosine 3′:5′-cyclic monophosphate and calf serum on the biosynthesis of hyaluronate in confluent cultures of (Tomida, M., Koyama, H. & Ono, T.) 539–543
Fibroblasts, W138, diploid, human, effects of prostaglandins on the uptake of substrates and on cell division in (Polgar, P. & Taylor, L.) 1–8
Fir (*Abies grandis*), changes in the activities of enzymes catalysing interconversions of nucleoside diphosphate sugars during differentiation of cambium to xylem in pine (*Pinus silvestris*) and (Dalessandro, G. & Northcote, D. H.) 281–288
Fructose, kinetic properties of adenylate deaminase and their relationship to the depletion of adenosine triphosphate in mouse liver after the administration of (Van den Berghe, G., Bronfman, M., Vanneste, R. & Hers, H.-G.) 601–609
Fructose, kinetic properties of cytosol 5′-nucleotidase and their relationship to the conversion of adenine nucleotides into urate in rat liver with particular reference to stimulation of the process by the administration of (Van den Berghe, G., van Pottelsberghe, C. & Hers, H.-G.) 611–616
Fructose, metabolism of lactate, glucose and, *in vivo* in chronically cannulated foetuses and in suckling lambs (Warnes, D. M., Seamark, R. F. & Ballard, F. J.) 617–626

Galactose, transport of glucose and, and their molecular analogues by *Escherichia coli* K12 (Henderson, P. J. F., Giddens, R. A. & Jones-Mortimer, M. C.) 309–320

Gamma rays, *see* γ-Radiation
Glucagon, regulation by insulin and, and by ions of the activities of enzymes involved in glycogenolysis in isolated rat liver cells (van de Werve, G., Hue, L. & Hers, H.-G.) 135–142
Gluconeogenesis, activation of the enzymes involved in, in sheep liver at birth and association of the process with oxygenation of the blood (Warnes, D. M., Seamark, R. F. & Ballard, F. J.) 627–634
Gluconeogenesis, effects of inhibition of, on the concentrations of glucose and other metabolites in liver and blood of newborn suckling rats (Ferre, P., Pegorier, J.-P. & Girard, J.) 209–212
Gluconeogenesis *in vivo* in chronically cannulated foetuses and in suckling lambs (Warnes, D. M., Seamark, R. F. & Ballard, F. J.) 617–626
Gluconeogenesis, rates of, and utilization of glucose in rats in the basal state induced by halothane anaesthesia Heath, D. F., Frayn, K. N. & Rose, J. G.) 643–650
Gluconeogenesis, re-evaluation of amino-oxyacetate as an inhibitor of the biosynthesis of urea and, by isolated rat hepatocytes (Smith, S. B., Briggs, S., Triebewasser, K. C. & Freedland, R. A.) 453–455
Gluconeogenesis, relationship between, and the release of alanine by rat diaphragm muscle *in vitro* (Snell, K. & Duff, D. A.) 399–403
Glucose, effects of acetoacetate on the metabolism of, in rat skeletal muscle (Maizels, E. Z., Ruderman, N. B., Goodman, M. N. & Lau, D.) 557–568
Glucose, effects of calcium ions and of, and its metabolites on the activity of adenylate cyclase in homogenates of mouse islets of Langerhans (Capito, K. & Hedeskov, C. J.) 569–573
Glucose, effects of inhibition of gluconeogenesis on the concentrations of, and other metabolites in liver and blood of newborn suckling rats (Ferre, P., Pegorier, J.-P. & Girard, J.) 209–212
Glucose, ^{3}H- and ^{14}C-labelled, comparison of a chromatographic method and an ion-exchange method for the determination of the specific radioactivities of, in blood (Heath, D. F. & Rose, J. G.) 650–651
Glucose, metabolism of lactate, fructose and, *in vivo* in chronically cannulated foetuses and in suckling lambs (Warnes, D. M., Seamark, R. F. & Ballard, F. J.) 617–626
Glucose, transport of galactose and, and their molecular analogues by *Escherichia coli* K12 (Henderson, P. J. F., Giddens, R. A. & Jones-Mortimer, M. C.) 309–320
Glucose, turnover of, in rats in the basal state induced by halothane anaesthesia (Heath, D. F., Frayn, K. N. & Rose, J. G.) 643–650
Glucose, turnover of, in the post-absorptive rat and the effects of halothane anaesthesia (Heath, D. F., Frayn, K. N. & Rose, J. G.) 653–657
β-D-Glucuronidase, lysosomal, CH-23-fibroblast, hamster, turnover of (Warburton, M. J. & Wynn, C. H.) 201–203
Glutathione, oxidized, properties of the release of, observed during reduction of organic hydroperoxides, demethylation of aminopyrine and oxidation of some substances in perfused rat liver and their implications for the physiological function of catalase (Oshino, N. & Chance, B.) 509–525
Glycerolipids, metabolism of the acyl and glycerol moieties of, in developing maize leaves (Slack, C. R., Roughan, P. G. & Balasingham, N.) 289–296
Glycerylphosphorylinositol, hydrolysis of, by a rat kidney-cortex phosphodiesterase (Dawson, R. M. C. & Hemington, N.) 241–245
Glycocholic acid, binding of, and other bile acids by rat liver cytosol preparations (Strange, R. C., Nimmo, I. A. & Percy-Robb, I. W.) 659–664
Glycogen, comparison of the substrate specificities of protein phosphatases involved in the regulation of the metabolism of, in rabbit skeletal muscle (Antoniw, J. F., Nimmo, H. G., Yeaman, S. J. & Cohen, P.) 423–433
Glycogen phosphorylase, effects of insulin on the activities of, and other enzymes involved in glycogenolysis and of glycogen synthase in the liver of anaesthetized rabbits (van de Werve, G., Stalmans, W. & Hers, H.-G.) 143–146
Glycogen phosphorylase kinase, determination of the amino acid sequences at the sites of, that are phosphorylated by rabbit skeletal-muscle adenosine 3′:5′-cyclic monophosphate-dependent protein kinase (Yeaman, S. J., Cohen, P., Watson, D. C. & Dixon, G. H.) 411–421
Glycogen phosphorylase, regulation by hormones and ions of the activities of, and other enzymes involved in glycogenolysis in isolated rat liver cells (van de Werve, G., Hue, L. & Hers, H.-G.) 135–142
Glycogen synthase, effects of insulin on the activities of enzymes involved in glycogenolysis and of, in the liver of anaesthetized rabbits (van de Werve, G., Stalmans, W. & Hers, H.-G.) 143–146
Glycogenolysis, effects of insulin on the activities of enzymes involved in, and of glycogen synthase in the liver of anaesthetized rabbits (van de Werve, G., Stalmans, W. & Hers, H.-G.) 143–146
Glycogenolysis, regulation by hormones and ions of the activities of enzymes involved in, in isolated rat liver cells (van de Werve, G., Hue, L. & Hers, H.-G.) 135–142
Glycolysis, effects of acetoacetate on, in rat skeletal muscle (Maizels, E. Z., Ruderman, N. B., Goodman, M. N. & Lau, D.) 557–568
Gonadotropin, chorio-, human, stimulation by, of the production of steroids and adenosine 3′:5′-cyclic monophosphate in chick-embryo ovary (Teng, C. T. & Teng, C. S.) 123–134

Haem, evidence for two different sites of action during the inhibition by cobalt ions of the biosynthesis of, in rat liver (De Matteis, F. & Gibbs, A. H.) 213–216
Halothane (2-bromo-2-chloro-1,1,1-trifluoroethane), inhibition by, of lipogenesis in isolated rat liver cells (Mapes, J. P.) 47–50
Halothane, turnover of glucose in rats in the basal state induced by anaesthesia due to the administration of (Heath, D. F., Frayn, K. N. & Rose, J. G.) 643–650
Halothane, turnover of glucose in the post-absorptive rat and the effects of anaesthesia due to the administration of (Heath, D. F., Frayn, K. N. & Rose, J. G.) 653–657
Heart, ox, concentrations of adenosine triphosphophatase inhibitor in submitochondrial particles from, and its influence on adenosine triphosphate-dependent reactions (Ferguson, S. J., Harris, D. A. & Radda, G. K.) 351–357

Hepatocytes, rat, isolated, effects of anti-microtubular agents and cycloheximide on the metabolism of chylomicron cholesteryl esters by (Nilsson, Å.) 367–377
Hepatocytes, rat, isolated, inhibition by halothane of lipogenesis in (Mapes, J. P.) 47–50
Hepatocytes, rat, isolated, measurement of absolute rates of the biosynthesis of cholesterol in (Gibbons, G. F. & Pullinger, C. R.) 321–330
Hepatocytes, rat, isolated, re-evaluation of aminooxyacetate as an inhibitor of gluconeogenesis and the biosynthesis of urea by (Smith, S. B., Briggs, S., Triebwasser, K. C. & Freedland, R. A.) 453–455
Hepatocytes, rat, isolated, regulation by hormones and ions of the activities of enzymes involved in glycogenolysis in (van de Werve, G., Hue, L. & Hers, H.-G.) 135–142
Hexahydroindane nucleus, further degradation by *Corynebacterium equi* of a cholic acid metabolite containing (Hayakawa, S. & Fujiwara, T.) 387–397
Histones, control of the phosphorylation of, of rat thymus-gland nuclei and the effects of γ-irradiation (Fónagy, A., Ord, M. G. & Stocken, L. A.) 171–181
Hyaluronate, effects of adenosine 3′:5′-cyclic monophosphate and calf serum on the biosynthesis of, in confluent cultures of rat fibroblasts (Tomida, M., Koyama, H. & Ono, T.) 539–543
Hydrogen ions, absorption of, with α-methyl glucoside and α-thioethyl glucoside by *Saccharomyces cerevisiae* N.C.Y.C. 240 (Brocklehurst, R., Gardner, D. & Eddy, A. A.) 591–599
Hydrogen ions, effects of mutational alteration of mitochondrial oligomycin-resistant adenosine triphosphatase on cell growth, mitochondrial oxidative phosphorylation and respiratory translocation of, in *Saccharomyces cerevisiae* (Somlo, M., Reid, R. A. & Krupa, M.) 51–59
Hydrogen ions, uptake of, linked to the transport system for 3-deoxy-2-oxo-D-gluconate of *Escherichia coli* K12 (Lagarde, A. E. & Haddock, B. A.) 183–187
Hydroperoxides, organic, properties of the release of oxidized glutathione observed during demethylation of aminopyrine, oxidation of some substances and reduction of, in perfused rat liver and their implications for the physiological function of catalase (Oshino, N. & Chance, B.) 509–525
Hyperphenylalaninaemia, effects of, on the concentrations of aminoacyl-transfer ribonucleic acids and the biosynthesis of protein in mouse brain *in vivo* (Hughes, J. V. & Johnson, T. C.) 527–537

Insulin, effects of, on the activities of enzymes involved in glycogenolysis and of glcyogen synthase in the liver of anaesthetized rabbits (van de Werve, G., Stalmans, W. & Hers, H.-G.) 143–146
Insulin, regulation by glucagon and, and by ions of the activities of enzymes involved in glycogenolysis in isolated rat liver cells (van de Werve, G., Hue, L. & Hers, H.-G.) 135–142
Insulin, sensitivity towards, of the turnover of glucose in rats in the basal state induced by halothane anaesthesia (Heath, D. F., Frayn, K. N. & Rose, J. G.) 643–650
Insulin, sensitivity towards, of the turnover of glucose in the post-absorptive rat and the effects of halothane anaesthesia (Heath, D. F., Frayn, K. N. & Rose, J. G.) 653–657
Intestine, small, rat, foetal, induction of the activity of sucrase in, by administration of cortisone or 3,3′,5-triiodothyronine to the mother (Celano, P., Jumawan, J., Horowitz, C., Lau, H. & Koldovsky, O.) 469–472
Ions, regulation by hormones and, of the activities of enzymes involved in glycogenolysis in isolated rat liver cells (van de Werve, G., Hue, L. & Hers, H.-G.) 135–142
Iris, rabbit, stimulation by acetylcholine of the breakdown of triphosphoinositide in smooth muscle of (Abdel-Latif, A. A., Akhtar, R. A. & Hawthorne, J. N.) 61–73
Islets of Langerhans, pancreas, mouse, effects of glucose and its metabolites and of calcium ions on the activity of adenlyate cyclase in homogenates of (Capito, K. & Hedeskov, C. J.) 569–573
Islets of Langerhans, pancreatic, mouse, isolated, effects of alloxan on the uptake of Trypan Blue by (Grankvist, K., Lernmark, Å. & Täljedal, I.-B.) 19–24
Islets of Langerhans, pancreatic, mouse, isolated, inhibition by alloxan of the uptake of rubidium ions by (Idahl, L.-Å., Lernmark, Å., Sehlin, J. & Täljedal, I.-B.) 9–18
L-Isoleucine, effects of prostaglandins on the uptake of, and other substrates and on cell division in human diploid fibroblasts (Polgar, P. & Taylor, L.) 1–8

Jejunum, rat, foetal, induction of the activity of sucrase in, by administration of cortisone or 3,3′,5-tri-iodothyronine to the mother (Celano, P., Jumawan, J., Horowitz, C., Lau, H. & Koldovsky, O.) 469–472

Kidney cortex, rat, hydrolysis of glycerylphosphorylinositol by a phosphodiesterase from (Dawson, R. M. C. & Hemington, N.) 241–245
Kidney, rat, metabolism of conjugates of benzyl isothiocyanate by homogenates of, and liver (Brüsewitz, G., Cameron, B. D., Chasseaud, L. F., Görler, K., Hawkins, D. R., Koch, H. & Mennicke, W. H.) 99–107
Krebs II ascites cells, phosphorylation of an acidic ribosomal protein of the large ribosomal subunit of (Leader, D. P. & Coia, A. A.) 199–200

β-Lactam antibiotics, biosynthesis of, by cell-free preparations from *Cephalosporium acremonium* (Bost, P. E. & Demain, A. L.) 681–687
Lactate, activation of the enzymes involved in gluconeogenesis from, in sheep liver at birth and association of the process with oxygenation of the blood (Warnes, D. M., Seamark, R. F. & Ballard, F. J.) 627–634
Lactate, metabolism of glucose, fructose and, *in vivo* in chronically cannulated foetuses and in suckling lambs (Warnes, D. M., Seamark, R. F. & Ballard, F. J.) 617–626
Lactation, changes in the activity of acetyl-coenzyme A carboxylase in rat mammary gland associated with the onset of (Mackall, J. C. & Lane, M. D.) 635–642
Lactation, co-ordinate changes in the activities of enzymes involved in the biosynthesis, activation and esterification of fatty acids in rabbit mammary gland during pregnancy and (Short, V. J., Brindley, D. N. & Dils, R.) 445–450

Leaves, maize, developing, metabolism of the acyl and glycerol moieties of glycerolipids in (Slack, C. R., Roughan, P. G. & Balasingham, N.) 289–296
Leaves, spinach, evidence that the activity of long-chain fatty acyl-coenzyme A synthetase of chloroplasts from, is concentrated in the envelope (Roughan, P. G. & Slack, C. R.) 457–459
Lecithin, *see* Phosphatidylcholine
Lettree cells, surface compoennts involved in changes in the membrane of, mediated by Sendai virus (Micklem, K. J. & Pasternak, C. A.) 405–410
Leucocytes, neutrophil, human, localization of collagenase as a component of the specific granules of (Murphy, G., Reynolds, J. J., Bretz, U. & Baggiolini, M.) 195–197
Leydig cells, testis, rat, isolated, influence of lutropin and cycloheximide on the biosynthesis of specific proteins in (Janszen, F. H. A., Cooke, B. A. & van der Molen, H. J.) 341–346
Lipase, clearing-factor, activity of, in rat white adipose tissue at the onset of postnatal development (Péquignot-Planche, É., de Gasquet, P., Boulangé, A. & Tonnu, N. T.) 461–463
Lipogenesis, changes in the activity of acetyl-coenzyme A carbosylase and their relevance to, in rat mammary gland during the onset of lactation (Mackall, J. C. & Lane, M. D.) 635–642
Lipogenesis, inhibition by halothane of, in isolated rat liver cells (Mapes, J. P.) 47–50
Lipoprotein lipase, *see* Lipase, clearing-factor
Lithocholic acid, binding of, and other bile acids by rat liver cytosol preparations (Strange, R. C., Nimmo, I. A. & Percy-Robb, I. W.) 659–664
Liver cells, rat, isolated, effects of anti-microtubular agents and cycloheximide on the metabolism of chylomicron cholesteryl esters by (Nilsson, Å.) 367–377
Liver cells, rat, isolated inhibition by halothane of lipogenesis in (Mapes, J. P.) 47–50
Liver cells, rat, isolated, measurement of absolute rates of the biosynthesis of cholesterol in (Gibbons, G. F. & Pullinger, C. R.) 321–330
Liver cells, rat, isolated, re-evaluation of amino-oxyacetate as an inhibitor of gluconeogenesis and the biosynthesis of urea by (Smith, S. B., Briggs, S., Triebwasser, K. C. & Freedland, R. A.) 453–455
Liver cells, rat, isolated, regulation by hormones and ions of the activities of enzymes involved in glycogenolysis in (van de Werve, G., Hue, L. & Hers, H.-G.) 135–142
Liver, mouse, kinetic properties of adenylate deaminase and their relationship to the depletion of adenosine triphosphate in, after the administration of fructose (Van den Berghe, G., Bronfman, M., Vanneste, R. & Hers, H.-G.) 601–609
Liver, rabbit, effects of insulin on the activities of enzymes involved in glycogenolysis and of glycogen synthase in, of anaesthetized animals (van de Werve, G., Stalmans, W. & Hers, H.-G.) 143–146
Liver, rat and pig, stimulation by ribonucleic acid of the activity of nucleoside triphosphatase of nuclear envelopes from (Agutter, P. S., Harris, J. R. & Stevenson, I.) 671–679
Liver, rat, binding of bile acids by cytosol preparations from (Strange, R. C., Nimmo, I. A. & Percy-Robb, I. W.) 659–664
Liver, rat, effects of amphiphilic cationic drugs and magnesium ions on the activities of phosphatidate phosphohydrolase and phosphatidate cytidylyltransferase in the microsomal membrane fraction of (Sturton, R. G. & Brindley, D. N.) 25–32
Liver, rat, evidence for two different sites of action during the inhibition by cobalt ions of the biosynthesis of haem in (De Matteis, F. & Gibbs, A. H.) 213–216
Liver, rat, factors influencing the activity of ornithine aminotransferase in mitochondria isolated from (McGivan, J. D., Bradford, N. M. & Beavis, A. D.) 147–156
Liver, rat, influence of diurnal changes in the concentrations of free amino acids in, on the composition of the precursor pool charging transfer ribonucleic acid (Vidrich, A., Airhart, J., Bruno, M. K. & Khairallah, E. A.) 257–266
Liver, rat, inhibition and subsequent stimulation of the biosynthesis of plasma proteins in, *in vivo* after the administration of cycloheximide (Ch'ih, J. J., Procyk, R. & Devlin, T. M.) 501–507
Liver, rat, kinetic properties of cytosol 5′-nucleotidase and their relationship to the conversion of adenine nucleotides into urate in, with particular reference to stimulation of the process by the administration of fructose (Van den Berghe, G., van Pottelsberghe, C. & Hers, H.-G.) 611–616
Liver, rat, metabolism of conjugates of benzyl isothiocyanate by homogenates of, and kidney (Brüsewitz, G., Cameron, B. D., Chasseaud, L. F., Görler, K., Hawkins, D. R., Koch, H. & Mennicke, W. H.) 99–107
Liver, rat, nature of the stimulation by noradrenaline of the biosynthesis of cholesterol in (George, R. & Ramasarma, T.) 493–499
Liver, rat, newborn, suckling, effects of inhibition of gluconeogenesis on the concentrations of glucose and other metabolites in, and blood (Ferre, P., Pegorier, J.-P. & Girard, J.) 209–212
Liver, rat, perfused, properties of the release of oxidized glutathione observed during reduction of organic hydroperoxides, demethylation of aminopyrine and oxidation of some substances in, and their implications for the physiological function of catalase (Oshino, N. & Chance, B.) 509–525
Liver, rat, properties of oestrone glucuronyltransferase and testosterone glucuronyltransferase of, and the effects of ovariectomy, castration and administration of steroids on their activities (Rao, G. S., Haueter, G., Rao, M. L. & Breuer, H.) 545–556
Liver, rat, young, changes in the concentrations of polyamines and in the activities of their biosynthetic decarboxylases in, and other tissues during recovery from undernutrition (McAnulty, P. A. & Williams, J. P. G.) 109–121
Liver, sheep, activation of the enzymes involved in gluconeogenesis in, at birth and association of the process with oxygenation of the blood (Warnes, D. M., Seamark, R. F. & Ballard, F. J.) 627–634
Liver, *Xenopus laevis*, biosynthesis, assembly and secretion of vitellogenin by (Penning, T. M., Merry, A. H., Munday, K. A. & Akhtar, M.) 157–170
Luteinizing hormone, *see* Lutropin

Lutropin, influence of cycloheximide and, on the biosynthesis of specific proteins in isolated rat testis Leydig cells (Janszen, F. H. A., Cooke, B. A. & van der Molen, H. J.) 341–346
Lymphocytes, human, activity and characterization of adenylate cyclases in non-nuclear subcellular fractions of (Snider, D. E., Jr. & Parker, C. W.) 473–482
Lymphocytes, human, activity and characterization of adenylate cyclase in nuclei from (Wedner, H. J. & Parker, C. W.) 483–491
Lysine, substrate specificity of the transport of, and other amino acids in sheep erythrocytes (Young, J. D. & Ellory, J. C.) 33–38
Lysosomes, CH-23-fibroblast, hamster, turnover of β-D-glucuronidase of (Warburton, M. J. & Wynn, C. H.) 201–203

Magnesium ions, binding of, to *Bacillus subtilis* W23 cell walls containing teichoic acid or teichuronic acid (Heckels, J. E., Lambert, P. A. & Baddiley, J.) 359–365
Magnesium ions, effects of amphiphilic cationic drugs and, on the activities of phosphatidate phosphohydrolase and phosphatidate cytidylyltransferase in rat liver microsomal membrane fraction (Sturton, R. G. & Brindley, D. N.) 25–32
Maize (*Zea mays*) leaves, developing, metabolism of the acyl and glycerol moieties of glycerolipids in (Slack, C. R., Roughan, P. G. & Balasingham, N.) 289–296
Mammary gland, rabbit, co-ordinate changes in the activities of enzymes involved in the biosynthesis, activation and esterification of fatty acids in, during pregnancy and lactation (Short, V. J., Brindley, D. N. & Dils, R.) 445–450
Mammary gland, rat, changes in the activity of acetyl-coenzyme A carboxylase in, associated with the onset of lactation (Mackall, J. C. & Lane, M. D.) 635–642
Membrane, Lettree-cell, surface components involved in changes in, mediated by Sendai virus (Micklem, K. J. & Pasternak, C. A.) 405–410
Membrane, plasma, lymphocyte, human, activity and characterization of adenylate cyclases in, and other non-nuclear subcellular fractions (Snider, D. E., Jr. & Parker, C. W.) 473–482
Membranes, erythrocyte, sheep, ox and pig, modification of, by purified *Staphylococcus aureus* phosphatidylinositol-specific phospholipase C (Low, M. G. & Finean, J. B.) 235–240
Membranes, microsomal, liver, rat, effects of amphiphilic cationic drugs and magnesium ions on the activities of phosphatidate phosphohydrolase and phosphatidate cytidylyltransferase in (Sturton, R. G. & Brindley, D. N.) 25–32
Menadione, biosynthesis of menaquinone-4 and 2,3-epoxymenaquinone-4 from, in some marine invertebrates (Burt, V. T., Bee, E. & Pennock, J. F.) 297–302
Menaquinone-4, biosynthesis of, and 2,3-epoxymenaquinone-4 from menadione in some marine invertebrates (Burt, V. T., Bee, E. & Pennock, J. F.) 297–302
Mercapturic acid derivative, identification of, as a metabolite of benzyl isothiocyanate and its cysteine conjugate in the urine of the rat and the dog (Brüsewitz, G., Cameron, B. D., Chasseaud, L. F., Görler, K., Hawkins, D. R., Koch, H. & Mennicke, W. H.) 99–107
α-Methyl glucoside, absorption of protons with α-thioethyl glucoside and, by *Saccharomyces cerevisiae* N.C.Y.C. 240 (Brocklehurst, R., Gardner, D. & Eddy, A. A.) 591–599
Microsomal fraction, liver, rat, effects of amphiphilic cationic drugs and magnesium ions on the activities of phosphatidate phosphohydrolase and phosphatidate cytidylyltransferase in membranes of (Sturton, R. G.& Brindley, D. N.) 25–32
Mitochondria, brain, ox, intramitochondrial localization of 4-aminobutyrate aminotransferase in (Schousboe, I., Bro, B. & Schousboe, A.) 303–307
Mitochondria, heart, ox, concentrations of adenosine triphosphatase inhibitor in submitochondrial particles from, and its influence on adenosine triphosphate-dependent reactions (Ferguson, S. J., Harris, D. A. & Radda, G. K.) 351–357
Mitochondria, liver, rat, isolated, factors influencing the activity of ornithine aminotransferase in (McGivan, J. D., Bradford, N. M. & Beavis, A. D.) 147–156
Mitochondria, mung-beam, effects of bathophenanthroline, bathophenanthrolinesulphonate and 2-thenoyltrifluoroacetone on, and submitochondrial particles (Rich, P. R., Moore, A. L. & Bonner, W. D., Jr.) 205–208
Mitochondria, *Saccharomyces cerevisiae*, effects of mutational alteration of oligomycin-resistant adenosine triphosphatase of, on cell growth, mitochondrial oxidative phosphorylation and respiratory translocation of protons (Somlo, M., Reid, R. A. & Krupa, M.) 51–59
Mitochondria, *Schizosaccharomyces pombe* 972h$^-$, changes in the activity and oligomycin-sensitivity of adenosine triphosphatase of, during the cell cycle of catabolite-repressed and -de-repressed cells (Edwards, S. W. & Lloyd, D.) 39–46
Mitochondria, *Schizosaccharomyces pombe* 972h$^-$, changes in the inhibitor sensitivities of oligomycin-sensitive adenosine triphosphatase of, during the cell cycle (Lloyd, D. & Edwards, S. W.) 581–590
Mitochondria, yeast, localization of the site of action of trialkyltin in (Cain, K. & Griffiths, D. E.) 575–580
Monogalactosyl diacylglycerol, identification of phosphatidylcholine as the donor of the diacylglycerol moiety in the biosynthesis of, in developing maize leaves (Slack, C. R., Roughan, P. G. & Balasingham, N.) 289–296
Mung bean, *see* Bean, mung
Muscle, diaphragm, hamster, age-related changes in the turnover of protein and the concentration of ribonucleic acid in, of normal and dystrophic animals (Goldspink, D. F. & Goldspink, G.) 191–194
Muscle, diaphragm, rat, release of alanine by, *in vitro* (Snell, K. & Duff, D. A.) 399–403
Muscle, skeletal, rabbit, comparison of the substrate specificities of protein phosphatases involved in the regulation of glycogen metabolism in (Antoniw, J. F., Nimmo, H. G., Yeaman, S. J. & Cohen, P.) 423–433
Muscle, skeletal, rabbit, substrate specificity of a protein phosphatase inhibitor from (Cohen, P., Nimmo, G. A. & Antoniw, J. F.) 435–444
Muscle, skeletal, rabbit, substrate specificity of adenosine 3′:5′-cyclic monophosphate-dependent protein kinase from (Yeaman, S. J., Cohen, P., Watson, D. C. & Dixon, G. H.) 411–421

Muscle, skeletal, rat, effects of acetoacetate on the metabolism of glucose in (Maizels, E. Z., Ruderman, N. B., Goodman, M. N. & Lau, D.) 557–568
Muscle, skeletal, rat, young, changes in the concentrations of polyamines and in the activities of their biosynthetic decarboxylases in, and other tissues during recovery from undernutrition (McAnulty, P. A. & Williams, J. P. G.) 109–121
Muscle, smooth, iris, rabbit, stimulation by acetylcholine of the breakdown of triphosphoinositide in (Abdel-Latif, A. A., Akhtar, R. A. & Hawthorne, J. N.) 61–73
Muscular dystrophy, age-related changes in the turnover of protein and the concentration of ribonucleic acid in diaphragm muscle from normal hamsters and from hamsters with (Goldspink, D. F. & Goldspink, G.) 191–194
Myelination, changes in the concentrations of protein determinants of, in different regions of developing rat central nervous system (Banik, N. L. & Smith, M. E.) 247–255

Nervous system, central, rat, developing, changes in the concentrations of protein determinants of myelination in different regions of (Banik, N. L. & Smith, M. E.) 247–255
Nicotinamide–adenine dinucleotide phosphate, effect of metabolic conditions influencing the redox state of, on the rate of release of oxidized glutathione in perfused rat liver (Oshino, N. & Chance, B.) 509–525
Noradrenaline, nature of the stimulation by, of the biosynthesis of cholesterol in rat liver (George, R. & Ramasarma, T.) 493–499
Nuclear envelopes, liver, rat and pig, stimulation by ribonucleic acid of the activity of nucleoside triphosphatase of (Agutter, P. S., Harris, J. R. & Stevenson, I.) 671–679
Nuclei, lymphocyte, human, activity and characterization of adenylate cyclase in (Wedner, H. J. & Parker, C. W.) 483–491
Nuclei, testis and uterus, rat, comparison of the binding sites for oestradiol-17β in (de Boer, W., de Vries, J., Mulder, E. & van der Molen, H. J.) 331–339
Nuclei, thymus-gland, rat, control of the phosphorylation of histones of, and the effects of γ-irradiation (Fónagy, A., Ord, M. G. & Stocken, L. A.) 171–181
Nucleoside diphosphate sugars, changes in the activities of enzymes catalysing interconversions of, during differentiation of cambium to xylem in pine and fir (Dalessandro, G. & Northcote, D. H.) 281–288
Nucleoside diphosphate sugars, changes in the activities of enzymes catalysing interconversions of, during differentiation of cambium to xylem in sycamore and poplar (Dalessandro, G. & Northcote, D. H.) 267–279
Nucleoside triphosphatase, stimulation by ribonucleic acid of the activity of, of rat and pig liver nuclear envelopes (Agutter, P. S., Harris, J. R. & Stevenson, I.) 671–679
5′-Nucleotidase, cytosol, kinetic properties of, and their relationship to the conversion of adenine nucleotides into urate in rat liver with particular reference to stimulation of the process by the administration of fructose (Van den Berghe, G., van Pottelsberghe, C. & Hers, H.-G.) 611–616

Oestradiol-17β, comparison of the nuclear binding sites for, in rat testis and uterus (de Boer, W., de Vries, J., Mulder, E. & van der Molen, H. J.) 331–339
Oestradiol-17β, hormonal regulation of the production of adenosine 3′:5′-cyclic monophosphate, testosterone and, in chick-embryo ovary (Teng, C. T. & Teng, C. S.) 123–134
Oestrone glucuronyltransferase, liver, rat, properties of, and testosterone glucuronyltransferase and the effects of ovariectomy, castration and administration of steroids on their activities (Rao, G. S., Haueter, G., Rao, M. L. & Breuer, H.) 545–556
Ornithine aminotransferase, factors influencing the activity of, in isolated rat liver mitochondria (McGivan, J. D., Bradford, N. M. & Beavis, A. D.) 147–156
Ornithine decarboxylase, concentrations of polyamines and activity of, in chick-embryo, rabbit, rat and human cartilage (Conroy, P. D., Simms, D. M. & Pointon, J. J.) 347–350
Ovariectomy, effects of the administration of steroids, castration and, on the activities of oestrone glucuronyltransferase and testosterone glucuronyltransferase in rat liver (Rao, G. S., Haueter, G., Rao, M. L. & Breuer, H.) 545–556
Ovary, chick-embryo, hormonal regulation of the production of steroids and adenosine 3′:5′-cyclic monophosphate in (Teng, C. T. & Teng, C. S.) 123–134
Oxidation–reduction potential, evidence for multiple components in electron-paramagnetic-resonance signal I obtained at low temperature during measurement of, of the reaction-centre chlorophyll (pigment P700) in Photosystem 1 of spinach chloroplasts (Evans, M. C. W., Sihra, C. K. & Slabas, A. R.) 75–85
Oxidative phosphorylation, *see* Phosphorylation, oxidative

Pancreas, mouse, effects of alloxan on the uptake of Trypan Blue by islets of Langerhans isolated from (Grankvist, K., Lernmark, Å. & Täljedal, I.-B.) 19–24
Pancreas, mouse, effects of glucose and its metabolites and of calcium ions on the activity of adenylate cyclase in homogenates of islets of Langerhans from (Capito, K. & Hedeskov, C. J.) 569–573
Pancreas, mouse, inhibition by alloxan of the uptake of rubidium ions by islets of Langerhans isolated from (Idahl, L.-Å., Lernmark, Å., Sehlin, J. & Täljedal, I.-B.) 9–18
Parturition, *see* Birth
Penicillins, biosynthesis of cephalosporins and, by cell-free preparations from *Cephalosporium acremonium* (Bost, P. E. & Demain, A. L.) 681–687
Phaseolus aureus, *see* Bean, mung
Phenylalanine, effects of the acute administration of, on the concentrations of aminoacyl-transfer ribonucleic acids and the biosynthesis of protein in mouse brain *in vivo* (Hughes, J. V. & Johnson, T. C.) 527–537
Phosphatidate cytidylyltransferase, effects of amphiphilic cationic drugs and magnesium ions on the activities of phosphatidate phosphohydrolase and, in rat liver microsomal membrane fraction (Sturton, R. G. & Brindley, D. N.) 25–32

Phosphatidate phosphohydrolase, effects of amphiphilic cationic drugs and magnesium ions on the activities of phosphatidate cytidylyltransferase and, in rat liver microsomal membrane fraction (Sturton, R. G. & Brindley, D. N.) 25–32

Phosphatidylcholine, identification of, as the donor of the diacylglycerol moiety in the biosynthesis of monogalactosyl diacylglycerol in developing maize leaves (Slack, C. R., Roughan, P. G. & Balasingham, N.) 289–296

Phosphodiestrase, kidney-cortex, rat, hydrolysis of glycerylphosphorylinositol by (Dawson, R. M. C. & Hemington, N.) 241–245

Phosphoenolpyruvate kinase, role of, in the release of alanine by rat diaphragm muscle *in vitro* (Snell, K. & Duff, D. A.) 399–403

Phospholipase C, phosphatidylinositol-specific, *Staphylococcus aureus*, modification of sheep, ox and pig erythrocyte membranes by (Low, M. G. & Finean, J. B.) 235–240

Phospholipids, effects of amphiphilic cationic drugs and magnesium ions on the biosynthesis of triacylglycerols and, in rat liver microsomal membrane fraction (Sturton, R. G. & Brindley, D. N.) 25–32

Phosphorylase, *see* Glycogen phosphorylase

Phosphorylation, oxidative, mitochondrial, effects of mutational alteration of mitochondrial oligomycin-resistant adenosine triphosphatase on cell growth, respiratory translocation of protons and, in *Saccharomyces cerevisiae* (Somlo, M., Reid, R. A. & Krupa, M.) 51–59

Phosphorylation, oxidative, partial diploids of *Escherichia coli* carrying normal and mutant alleles affecting (Gibson, F., Cox, G. B., Downie, J. A. & Radik, J.) 665–670

Photosystem I, evidence for multiple components in electron-paramagnetic-resonance signal 1 obtained at low temperature during measurement of the oxidation–reduction potential of the reaction-centre chlorophyll (pigment P700) in, of spinach chloroplasts (Evans, M. C. W., Sihra, C. K. & Slabas, A. R.) 75–85

Phytohaemagglutinin, effect of, on the activity of adenylate cyclases in non-nuclear subcellular fractions of human lymphocytes (Snider, D. E., Jr. & Parker, C. W.) 473–482

Pigment P700 (reaction-centre chlorophyll), evidence for multiple components in electron-paramagnetic-resonance signal 1 obtained at low temperature during measurement of the oxidation–reduction potential of, in Photosystem I of spinach chloroplasts (Evans, M. C. W., Sihra, C. K. & Slabas, A. R.) 75–85

Pine (*Pinus silvestris*), changes in the activities of enzymes catalysing interconversions of nucleoside diphosphate sugars during differentiation of cambium to xylem in fir (*Abies grandis*) and (Dalessandro, G. & Northcote, D. H.) 281–288

Pinus silvestris, *see* Pine

Pituitary-gland tumour cells, prolactin-producing, rat, cultured, effects of thyroliberin on the concentration of adenosine 3′:5′-cyclic monophosphate and the activity of adenosine 3′:5′-cyclic monophosphate-dependent protein kinase in (Gautvik, K. M., Walaas, E. & Walaas, O.) 379–386

Plasma membrane, *see* Membrane, plasma

Plasma proteins, *see* Proteins, plasma

Polyamines, activity of ornithine decarboxylase and concentrations of, in chick-embryo, rabbit, rat and human cartilage (Conroy, P. D., Simms, D. M. & Pointon, J. J.) 347–350

Polyamines, changes in the concentrations of, and in the activities of their biosynthetic decarboxylates in various tissues of the young rat during recovery from undernutrition (McAnulty, P. A. & Williams, J. P. G.) 109–121

Polyamines, effects of age in the intact animal and of administration of androgens to the castrated animal on the biosynthesis of deoxyribonucleic acid and, in rat ventral prostate gland (Takyi, E. E. K., Fuller, D. J. M., Donaldson, L. J. & Thomas, G. H.) 87–97

Polysaccharides, cell-wall, changes in the activities of enzymes catalysing interconversions of nucleoside diphosphate sugars involved in the biosynthesis of, during differentiation of cambium to xylem in pine and fir (Dalessandro, G. & Northcote, D. H.) 281–288

Polysaccharides, cell-wall, changes in the activities of enzymes catalysing interconversions of nucleoside diphosphate sugars involved in the biosynthesis of, during differentiation of cambium to xylem in sycamore and poplar (Dalessandro, G. & Northcote, D. H.) 267–279

Poplar (*Populus robusta*), changes in the activities of enzymes catalysing interconversions of nucleoside diphosphate sugars during differentiation of cambium to xylem in sycamore (*Acer psdueoplatanus*) and (Dalessandro, G. & Northcote, D. H.) 267–279

Populus robusta, *see* Poplar

Pregnancy, co-ordinate changes in the activities of enzymes involved in the biosynthesis, activation and esterification of fatty acids in rabbit mammary gland during, and lactation (Short, V. J., Brindley, D. N. & Dils, R.) 445–450

Prolactin, effects of thyroliberin on the concentration of adenosine 3′:5′-cyclic monophosphate and the activity of adenosine 3′:5′-cyclic monophosphate-dependent protein kinase in cultured rat pituitary-gland tumour cells producing (Gautvik, K. M., Walaas, E. & Walaas, O.) 379–386

Prostaglandin E_1, effect of, on the activity of adenylate cyclases in non-nuclear subcellular fractions of human lymphocytes (Snider, D. E., Jr. & Parker, C. W.) 473–482

Prostaglandins, effects of, on the uptake of substrates and on cell division in human diploid W138 fibroblasts (Polgar, P. & Taylor, L.) 1–8

Prostate gland, ventral, rat, effects of age in the intact animal and of administration of androgens to the castrated animal on the biosynthesis of deoxyribonucleic acid and polyamines in (Takyi, E. E. K., Fuller, D. J. M., Donaldson, L. J. & Thomas, G. H.) 87–97

Protein, age-related changes in the concentration of ribonucleic acid and the turnover of, in diaphragm muscle from normal and dystrophic hamsters (Goldspink, D. F. & Goldspink, G.) 191–194

Protein, effect of β-D-xylosides on the biosynthesis of chondroitin sulphate in chick-embryo cartilage in the absence of inhibitors of the biosynthesis of (Gibson, K. D., Segen, B. J. & Audhya, T. K.) 217–233

Protein, egg-yolk (vitellogenin), biosynthesis, assembly and secretion of, by *Xenopus laevis* liver (Penning, T. M., Merry, A. H., Munday, K. A. & Akhtar, M.) 157–170
Protein, influence of diurnal changes in the concentrations of rat liver free amino acids on the composition of the precursor pool charging transfer ribonucleic acid for the biosynthesis of (Vidrich, A., Airhart, J., Bruno, M. K. & Khairallah, E. A.) 257–266
Protein kinase, adenosine 3′:5′-cyclic monophosphate-dependent, effects of thyroliberin on the concentration of adenosine 3′:5′-cyclic monophosphate and the activity of, in cultured rat prolactin-producing pituitary-gland tumour cells (Gautvik, K. M., Walaas, E. & Walaas, O.) 379–386
Protein kinase, adenosine 3′:5′-cyclic monophosphate-dependent, skeletal-muscle, rabbit, substrate specificity of (Yeaman, S. J., Cohen, P., Watson, D. C. & Dixon, G. H.) 411–421
Protein kinases, changes in the activities of, in rat testis during neonatal and postnatal development (Bernard, E. A. & Wasserman, G. F.) 465–467
Protein phosphatase inhibitor, skeletal-muscle, rabbit, substrate specificity of (Cohen, P., Nimmo, G. A. & Antoniw, J. F.) 435–444
Protein phosphatases, skeletal-muscle, rabbit, comparison of the substrate specificities of, involved in the regulation of glycogen metabolism (Antoniw, J. F., Nimmo, H. G., Yeaman, S. J. & Cohen, P.) 423–433
Protein, ribosomal, acidic, phosphorylation of, of the large ribosomal subunit of Krebs II ascites cells (Leader, D. P. & Coia, A. A.) 199–200
Proteins, changes in the concentrations of, that are determinants of myelination in different regions of developing rat central nervous system (Banik, N. L. & Smith, M. E.) 247–255
Proteins, plasma, inhibition and subsequent stimulation of the biosynthesis of, in rat liver *in vivo* after the administration of cycloheximide (Ch'ih, J. J., Procyk, R. & Devlin, T. M.) 501–507
Proteins, specific, influence of lutropin and cycloheximide on the biosynthesis of, in isolated rat testis Leydig cells (Janszen, F. H. A., Cooke, B. A. & van der Molen, H. J.) 341–346
Protons, absorption of, with α-methyl glucoside and α-thioethyl glucoside by *Saccharomyces cerevisiae* N.C.Y.C. 240 (Brocklehurst, R., Gardner, D. & Eddy, A. A.) 591–599
Protons, effects of mutational alteration of mitochondrial oligomycin-resistant adenosine triphosphatase on cell growth, mitochondrial oxidative phosphorylation and respiratory translocation of, in *Saccharomyces cerevisiae* (Somlo, M., Reid, R. A. & Krupa, M.) 51–59
Protons, uptake of, linked to the transport system for 3-deoxy-2-oxo-D-gluconate of *Escherichia coli* K12 (Lagarde, A. E. & Haddock, B. A.) 183–187
Putrescine, changes in the concentrations of, and other polyamines and in the activities of their biosynthetic decarboxylases in various tissues of the young rat during recovery from undernutrition (McAnulty, P. A. & Williams, J. P. G.) 109–121

γ-Radiation, effects of, on the phosphorylation of histones of rat thymus-gland nuclei (Fónagy, A., Ord, M. G. & Stocken, L. A.) 171–181

Red blood cells, *see* Erythrocytes
Ribonucleic acid, age-related changes in the turnover of protein and the concentration of, in diaphragm muscle from normal and dystrophic hamsters (Goldspink, D. F. & Goldspink, G.) 191–194
Ribonucleic acid, stimulation by, of the activity of nucleoside triphosphatase of rat and pig liver nuclear envelopes (Agutter, P. S., Harris, J. R. & Stevenson, I.) 671–679
Ribonucleic acid, transfer, influence of diurnal changes in the concentrations of rat liver free amino acids on the composition of the precursor pool charging (Vidrich, A., Airhart, J., Bruno, M. K. & Khairallah, E. A.) 257–266
Ribonucleic acids, transfer, aminoacyl-, effects of hyperphenylalaninaemia on the concentrations of, and the biosynthesis of protein in mouse brain *in vivo* (Hughes, J. V. & Johnson, T. C.) 527–537
Ribosomal protein, acidic, phosphorylation of, of the large ribosomal subunit of Krebs II ascites cells (Leader, D. P. & Coia, A. A.) 199–200
Ribosomal subunit, large, phosphorylation of an acidic ribosomal protein of, of Krebs II ascites cells (Leader, D. P. & Coia, A. A.) 199–200
Rubidium ions, inhibition by alloxan of the uptake of, by isolated mouse islets of Langerhans (Idahl, L.-Å., Lernmark, Å., Sehlin, J. & Täljedal, I.-B.) 9–18

Saccharomyces cerevisiae N.C.Y.C. 240, absorption of protons with α-methyl glucoside and α-thioethyl glucoside by (Brocklehurst, R., Gardner, D. & Eddy, A. A.) 591–599
Saccharomyces cerevisiae, effects of mutational alteration of mitochondrial oligomycin-resistant adenosine triphosphatase on cell growth, mitochondrial oxidative phosphorylation and respiratory translocation of protons in (Somlo, M., Reid, R. A. & Krupa, M.) 51–59
Schizosaccharomyces pombe 972h⁻, changes in the activity and oligomycin-sensitivity of mitochondrial adenosine triphosphatase during the cell cycle of catabolite-repressed and -de-repressed cells of (Edwards, S. W. & Lloyd, D.) 39–46
Schizosaccharomyces pombe 972h⁻, changes in the inhibitor sensitivities of mitochondrial oligomycin-sensitive adenosine triphosphatase of, during the cell cycle (Lloyd, D. & Edwards, S. W.) 581–590
Sendai virus, surface components involved in changes in the membrane of Lettree cells mediated by (Micklem, K. J. & Pasternak, C. A.) 405–410
Serum, calf, effects of adenosine 3′:5′-cyclic monophosphate and, on the biosynthesis of hyaluronate in confluent cultures of rat fibroblasts (Tomida, M., Koyama, H. & Ono, T.) 539–543
Serum factors, human, stimulation by, of the biosynthesis of chondroitin sulphate in chick-embryo cartilage (Gibson, K. D., Segen, B. J. & Audhya, T. K.) 217–233
Skeletal muscle, *see* Muscle, skeletal
Small intestine, *see* Intestine, small
Smooth muscle, *see* Muscle, smooth
South African clawed toad (*Xenopus laevis*), biosynthesis, assembly and secretion of vitellogenin by the liver of (Penning, T. M., Merry, A. H., Munday, K. A. & Akhtar, M.) 157–170

Spermidine, activity of ornithine decarboxylase and concentrations of spermine and, in chick-embryo, rabbit, rat and human cartilage (Conroy, P. D., Simms, D. M. & Pointon, J. J.) 347–350
Spermidine, changes in the concentrations of, and other polyamines and in the activities of their biosynthetic decarboxylases in various tissues of the young rat during recovery from undernutrition (McAnulty, P. A. & Williams, J. P. G.) 109–121
Spermidine, effects of age in the intact animal and of administration of androgens to the castrated animal on the biosynthesis of deoxyribonucleic acid, spermine and, in rat ventral prostate gland (Takyi, E. E. K., Fuller, D. J. M., Donaldson, L. J. & Thomas, G. H.) 87–97
Spermine, activity of ornithine decarboxylase and concentrations of spermidine and, in chick-embryo, rabbit, rat and human cartilage (Conroy, P. D., Simms, D. M. & Pointon, J. J.) 347–350
Spermine, changes in the concentrations of, and other polyamines and in the activities of their biosynthetic decarboxylases in various tissues of the young rat during recovery from undernutrition (McAnulty, P. A. & Williams, J. P. G.) 109–121
Spermine, effects of age in the intact animal and of administration of androgens to the castrated animal on the biosynthesis of deoxyribonucleic acid, spermidine and, in rat ventral prostate gland (Takyi, E. E. K., Fuller, D. J. M., Donaldson, L. J. & Thomas, G. H.) 87–97
Spinacea oleracea, *see* Spinach
Spinach (*Spinacia oleracea*), evidence for multiple components in electron-paramagnetic-resonance signal I obtained at low temperature during measurement of the oxidation–reduction potential of the reaction-centre chlorophyll (pigment P700) in Photosystem I of chloroplasts from (Evans, M. C. W., Sihra, C. K. & Slabas, A. R.) 75–85
Spinach (*Spinacea oleracea*) leaves, evidence that the activity of long-chain fatty acyl-coenzyme A synthetase of chloroplasts from, is concentrated in the envelope (Roughan, P. G. & Slack, C. R.) 457–459
Spinal cord, rat, developing, changes in the concentrations of protein determinants of myelination in different regions of, and brain (Banik, N. L. & Smith, M.E.) 247–255
Spleen, rat, young, changes in the concentrations of polyamines and in the activities of their biosynthetic decarboxylases in, and other tissues during recovery from undernutrition (McAnulty, P. A. & Williams, J. P. G.) 109–121
Staphylococcus aureus, modification of sheep, ox and pig erythrocyte membranes by phosphatidylinositol-specific phospholipase C purified from (Low, M. G. & Finean, J. B.) 235–240
Starfish (*Asterias rubens*), biosynthesis of menaquinone-4 and 2,3-epoxymenaquinone-4 from menadione in, and other marine invertebrates (Burt, V. T., Bee, E. & Pennock, J. F.) 297–302
Steroids, androgenic, effects of the administration of, on the biosynthesis of deoxyribonucleic acid and polyamines in the ventral prostate gland of the castrated rat (Takyi, E. E. K., Fuller, D. J. M., Donaldson, L. J. & Thomas, G. H.) 87–97
Steroids, effects of ovariectomy, castration and the administration of, on the activities of oestrone glucuronyltransferase and testosterone glucuronyltransferase in rat liver (Rao, G. S., Haueter, G., Rao, M. L. & Breuer, H.) 545–556
Steroids, hormonal regulation of the production of adenosine 3′:5′-cyclic monophosphate and, in chick-embryo ovary (Teng, C. T. & Teng, C. S.) 123–134
Sterols, nature of the stimulation by noradrenaline of the biosynthesis of, in rat liver (George, R. & Ramasarma, T.) 493–499
Submitochondrial particles, heart, ox, concentrations of adenosine triphosphatase inhibitor in, and its influence on adenosine triphosphate-dependent reactions (Ferguson, S. J., Harris, D. A. & Radda, G. K.) 351–357
Submitochondrial particles, mung-bean, effects of bathophenanthroline, bathophenanthrolinesulphonate and 2-thenoyltrifluoroacetone on, and mitochondria (Rich, P. R., Moore, A. L. & Bonner, W. D., Jr.) 205–208
Succinate, effects of bathophenanthroline, bathophenanthrolinesulphonate and 2-thenoyltrifluoroacetone on the oxidation of, by mung-bean mitochondria and submitochondrial particles (Rich, P. R., Moore, A. L. & Bonner, W. D., Jr.) 205–208
Sucrase, induction of the activity of, in foetal rat jejunum by administration of cortisone or 3,3′,5-tri-iodothyronine to the mother (Celano, P., Jumawan, J., Horowitz, C., Lau, H. & Koldovsky, O.) 469–472
Supernatant fraction, *see* Cytosol
Sycamore (*Acer pseudoplatanus*), changes in the activities of enzymes catalysing interconversions of nucleoside diphosphate sugars during differentiation of cambium to xylem in poplar (*Populus robusta*) and (Dalessandro, G. & Northcote, D. H.) 267–279

Teichoic acid, binding of magnesium ions to *Bacillus subtilis* W23 cell walls containing teichuronic acid or (Heckels, J. E., Lambert, P. A. & Baddiley, J.) 359–365
Teichuronic acid, binding of magnesium ions to *Bacillus subtilis* W23 cells walls containing teichoic acid or (Heckels, J. E., Lambert, P. A. & Baddiley, J.) 359–365
Testis, rat, changes in the activities of protein kinases in, during neonatal and postnatal development (Bernard, E. A. & Wasserman, G. F.) 465–467
Testis, rat, comparison of the nuclear binding sites for oestradiol-17β in, and uterus (de Boer, W., de Vries, J., Mulder, E. & van der Molen, H. J.) 331–339
Testis, rat, influence of lutropin and cycloheximide on the biosynthesis of specific proteins in Leydig cells isolated from (Janszen, F. H. A., Cooke, B. A. & van der Molen, H. J.) 341–346
Testosterone, effects of the administration of, and other androgens on the biosynthesis of deoxyribonucleic acid and polyamines in the ventral prostate gland of the castrated rat (Tayki, E. E. K., Fuller, D. J. M., Donaldson, L. J. & Thomas, G. H.) 87–97
Testosterone glucuronyltransferase, liver, rat, properties of, and oestrone glucuronyltransferase and the effects of ovariectomy, castration and administration of steroids on their activities (Rao, G. S., Haueter, G., Rao, M. L. & Breuer, H.) 545–556

Testosterone, hormonal regulation of the production of adenosine 3′:5′-cyclic monophosphate, oestradiol-17β and, in chick-embryo ovary (Teng, C. T. & Teng, C. S.) 123–134
α-Thioethyl glucoside, absorption of protons with α-methyl glucoside and, by *Saccharomyces cerevisiae* N.C.Y.C. 240 (Brocklehurst, R., Gardner, D. & Eddy, A. A.) 591–599
Thymidine, effects of prostaglandins on the uptake of, and other substrates and on cell division in human diploid W138 fibroblasts (Polgar, P. & Taylor, L.) 1–8
Thymus gland, rat, control of the phosphorylation of histones of nuclei from, and the effects of γ-irradiation (Fónagy, A., Ord, M. G. & Stocken, L. A.) 171–181
Thyroliberin, effects of, on the concentration of adenosine 3′:5′-cyclic monophosphate and the activity of adenosine 3′:5′-cyclic monophosphate-dependent protein kinase in cultured rat prolactin-producing pituitary-gland tumour cells (Gautvik, K. M., Walaas, E. & Walaas, O.) 379–386
Thyrotropin-releasing factor, *see* Thyroliberin
Transfer ribonucleic acid, *see* Ribonucleic acid, transfer
Triacylglycerols, effects of amphiphilic cationic drugs and magnesium ions on the biosynthesis of phospholipids and, in rat liver microsomal membrane fraction (Sturton, R. G. & Brindley, D. N.) 25–32
Trialkyltin, changes in the sensitivities of mitochondrial oligomycin-sensitive adenosine triphosphatase towards, and other inhibitors during the cell cycle of *Schizosaccharomyces pombe* 972h$^-$ (Lloyd, D. & Edwards, S. W.) 581–590
Trialkyltin, localization of the site of action of, in yeast mitochondria (Cain, K. & Griffiths, D. E.) 575–580
Triglycerides, *see* Triacylglycerols
3,3′,5-Tri-iodothyronine, induction of the activity of sucrase in foetal rat jejunum by administration of cortisone or, to the mother (Celano, P., Jumawan, J., Horowitz, C., Lau, H. & Koldovsky, O.) 469–472
3,3′,5-Tri-iodothyronine, stimulation by, of the biosynthesis of chondroitin sulphate in chick-embryo cartilage (Gibson, K. D., Segen, B. J. & Audhya, T. K.) 217–233
Triphosphoinositide, stimulation by acetylcholine of the breakdown of, in rabbit iris smooth muscle (Adbel-Latif, A. A., Akhtar, R. A. & Hawthorne, J. N.) 61–73
Trypan Blue, effects of alloxan on the uptake of, by isolated mouse islets of Langerhans (Grankvist, K., Lernmark, Å. & Täljedal, I.-B.) 19–24
Tumour cells, ascites, Krebs II, phosphorylation of an acidic ribosomal protein of the large ribosomal subunit of (Leader, D. P. & Coia, A. A.) 199–200
Tumour cells, pituitary-gland, prolactin-producing, rat, cultured, effects of thyroliberin on the concentration of adenosine 3′:5′-cyclic monophosphate and the activity of adenosine 3′:5′-cyclic monophosphate-dependent protein kinase in (Gautvik, K. M., Walaas, E. & Walaas, O.) 379–386

Undernutrition, changes in the concentrations of polyamines and in the activities of their biosynthetic decarboxylases in various tissues of the young rat during recovery from (McAnulty, P. A. & Williams, J. P. G.) 109–121
Urate, kinetic properties of cytosol 5′-nucleotidase and their relationship to the conversion of adenine nucleotides into, in rat liver with particular reference to stimulation of the process by the administration of fructose (Van den Berghe, G., van Pottelsberghe, C. & Hers, H.-G.) 611–616
Urea, re-evaluation of amino-oxyacetate as an inhibitor of gluconeogenesis and the biosynthesis of, by isolated rat hepatocytes (Smith, S. B., Briggs, S., Triebwasser, K. C. & Freedland, R. A.) 453–455
Uridine, effects of prostaglandins on the uptake of, and other substrates and on cell division in human diploid W138 fibroblasts (Polgar, P. & Taylor, L.) 1–8
Urine, identification of metabolites of benzyl isothiocyanate and its cysteine conjugate in, of the rat and the dog (Brüsewitz, G., Cameron, B. D., Chasseaud, L. F., Görler, K., Hawkins, D. R., Koch, H. & Mennicke, W. H.) 99–107
Uterus, rat, comparison of the nuclear binding sites for oestradiol-17β in, and testis (de Boer, W., de Vries, J., Mulder, E. & van der Molen, H. J.) 331–339

Vinblastine, effects of cycloheximide, colchicine and, on the metabolism of chylomicron cholesteryl esters by isolated rat hepatocytes (Nilsson, Å.) 367–377
Virus, Sendai, *see* Sendai virus
Vitamin K, *see* Menaquinone
Vitellogenin, biosynthesis, assembly and secretion of, by *Xenopus laevis* liver (Penning, T. M., Merry, A. H., Munday, K. A. & Akhtar, M.) 157–170

Wall, cell, *see* Cell wall

Xenopus laevis, biosynthesis, assembly and secretion of vitellogenin by the liver of (Penning, T. M., Merry, A. H., Munday, K. A. & Akhtar, M.) 157–170
Xylem, changes in the activities of enzymes catalysing interconversions of nucleoside diphosphate sugars during differentiation of cambium to, in pine and fir (Dalessandro, G. & Northcote, D. H.) 281–288
Xylem, changes in the activities of enzymes catalysing interconversions of nucleoside diphosphate sugars during differentiation of cambium to, in sycamore and poplar (Dalessandro, G. & Northcote, D. H.) 267–279
β-D-Xylosides, effect of, on the biosynthesis of chondroitin sulphate in chick-embryo cartilage in the absence of inhibitors of the biosynthesis of protein (Gibson, K. D., Segen, B. J. & Audhya, T. K.) 217–233

Yeast, localization of the site of action of trialkyltin in mitochondria from (Cain, K. & Griffiths, D. E.) 575–580
Yeast (*Saccharomyces cerevisiae* N.C.Y.C. 240), absorption of protons with α-methyl glucoside and α-thioethyl glucoside by (Brocklehurst, R., Gardner, D. & Eddy, A. A.) 591–599
Yeast (*Saccharomyces cerevisiae*), effects of mutational alteration of mitochondrial oliogmycin-resistant adenosine triphosphatase on cell growth, mitochondrial oxidative phosphorylation and respiratory translocation of protons in (Somlo, M., Reid, R. A. & Krupa, M.) 51–59

Yeast (*Schizosaccharomyces pombe* 972h⁻), changes in the activity and oligomycin-sensitivity of mitochondrial adenosine triphosphatase during the cell cycle of catabolite-repressed and -de-repressed cells of (Edwards, S. W. & Lloyd, D.) 39–46

Yeast (*Schizosaccharomyces pombe* 972h⁻), changes in the inhibitor sensitivities of mitochondrial oligomycin-sensitive adenosine triphosphatase of, during the cell cycle (Lloyd, D. & Edwards, S. W.) 581–590

Zea mays, *see* Maize